

Literaturverzeichnis

zum Beitrag „Wie steht es um die Episiotomie in der Geburtsmedizin?“

von Dr. Anne Heihoff-Klose, Bayerisches Ärzteblatt 10/2018, Seite 550 ff.

1. DeLee JB. The prophylactic forceps operation. *Am J Obstet Gynecol*; 1, 34–44 (1920).
2. Hartmann K, Viswanathan M, et al. Outcomes of routine episiotomy: a systematic review. *JAMA* 293(17), 2141–2148 (2005).
3. World Health Organization Division of Family Health Maternal Health and Safe Motherhood. Care in normal birth: a practical guide. Report of a technical working group. World Health Organization; Geneva, (1996).
4. Rusavy Z, Karbanova J, Kalis V. Timing of episiotomy and outcome of a non-instrumental vaginal delivery. *Acta Obstet Gynecol Scand.* 95:190 (2016).
5. Berkowitz L, Foust-Wright C et al. Approach to episiotomy-UpToDate Literature review, updated 03 (2018).
6. Lund NS, Persson LK, Jangö H, et al. Episiotomy in vacuum-assisted delivery affects the risk of obstetric anal sphincter injury: a systematic review and meta-analysis. *Eur J Obstet Gynecol Reprod Biol*; 207:193 (2016).
7. Sagi-Dain L, Sagi S. The role of episiotomy in prevention and management of shoulder dystocia: a systematic review. *Obstet Gynecol Surv*; 70:354 (2015).
8. Jallad K, Steele SE, Barber MD. Breakdown of Perineal Laceration Repair After Vaginal Delivery: A Case-Control Study. *Female Pelvic Med Reconstr Surg*; 22:276 (2016).
9. Macleod M, Strachan B, Bahl R, et al. A prospective cohort study of maternal and neonatal morbidity in relation to use of episiotomy at operative vaginal delivery. *BJOG*; 115:1688 (2008).
10. Alperin M, Krohn MA, Parviainen K. Episiotomy and increase in the risk of obstetric laceration in a subsequent vaginal delivery. *Obstet Gynecol*; 111:1274 (2008).
11. Ould F. *A Treatise on Midwifery in Three Parts*. Nelson & Connor, Dublin, Ireland. (1742).
12. Lappen et Gossett. Changes in episiotomy practice: evidence-based medicine in action. *Expert Review of Obstetrics & Gynecology*, 5:3, 301-309, DOI: 10.1586/eog.10.21 (2010).
13. Sleep J, Grant A, Garcia J, et al. The West Berkshire perineal management trial. *Br. Med. J. (Clin. Res. Ed.)* 289(6445), 587–590 (1984).
14. Thacker SB, Banta HD. Benefits and risks of episiotomy: an interpretive review of the English language literature, 1860–1980. *Obstet Gynecol Surv*; 38(6), 322–338 (1983).
15. Woolley RJ. Benefits and risks of episiotomy: a review of the English-language literature since 1980. Part II. *Obstet Gynecol Surv*; 50:821 (1995).
16. Jiang H, Qian X, Carroli G, Garner P. Selective versus routine use of episiotomy for vaginal birth. *Cochrane Database Syst Rev*; 2:CD000081 (2017).

17. Röckner G, Jonasson A, Olund A. The effect of mediolateral episiotomy at delivery on pelvic floor muscle strength evaluated with vaginal cones. *Acta Obstet Gynecol Scand*; 70:51 (1991).
18. Sartore A, De Seta F, Maso G, Pregazzi R, Grimaldi E, Guaschino S. The effects of mediolateral episiotomy on pelvic floor function after vaginal delivery. *Obstet. Gynecol.* 103(4), 669–673 (2004).
19. Pergialiotis V, Vlachos D, Protopapas A, et al. Risk factors for severe perineal lacerations during childbirth. *Int J Gynaecol Obstet*; 125:6 (2014).
20. Howden NL, Weber AM, Meyn LA. Episiotomy use among residents and faculty compared with private practitioners. *Obstet. Gynecol.* 103(1), 114–118 (2004).
21. Robinson JN, Norwitz ER, Cohen AP, Lieberman E. Predictors of episiotomy use at first vaginal delivery. *Obstet. Gynecol.* 96(2), 214–218 (2000).
22. Gossett DR, Dunsmoor Su R. Episiotomy practice in a community hospital practice. *J. Reprod. Med.* 53(10), 803–808 (2008).
23. Bornmann K et al. Entwicklung der Episiotomierate: Daten eines Level-I-Perinatalzentrums im Landesvergleich; *Geburtshilfe und Frauenheilkunde* 74(S 01) DOI: 10.1055/s-0034-1388152 (2014).
24. Practice Bulletin No. 165: Prevention and Management of Obstetric Lacerations at Vaginal Delivery *Obstetrics & Gynecology*: 128(1) 1–15 doi: 10.1097/AOG.0000000000001523 (2016). Online College Publications Ob-Gyns; Can Prevent and Manage Obstetric Lacerations During Vaginal Delivery, Says New ACOG Practice Bulletin; ACOG Continues to Recommend Against Routine Episiotomy June 22 (2016).
25. Goueslard et al. How did episiotomy rates change from 2007 to 2014? Population-based study in France; *BMC Pregnancy and Childbirth* 18:20; <https://doi.org/10.1186/s12884-018-1747-8> (2018).
26. Sehrmann I. Dammschnitt - Bagatelle oder Körperverletzung - Hilfe fürs Kind oder Routine-Intervention? *GreenBirth e.V. - Onlinebefragung 3. - 31. Oktober 2017*