

**Literaturverzeichnis
zum Titelthema „Neues aus der Sonografie des Abdomens“
Bayerisches Ärzteblatt 4/2012, Seite 154 ff.
Professorin Dr. Deike Strobel und Professor Dr. Thomas Bernatik**

Kontrastmittelsonografie:

- 1) Piscaglia F, Nolsøe C, Dietrich CF et al. The EFSUMB Guidelines and Recommendations on the Clinical Practice of Contrast Enhanced Ultrasound (CEUS): Update 2011 on non-hepatic applications.
- 2) Claudon M, Cosgrove D, Albrecht T et al.. Guidelines and good clinical practice recommendations for contrast enhanced ultrasound (CEUS) - update 2008. *Ultraschall Med.* 2008 Feb;29(1):28-44.

Charakterisierung von Leber Raumforderungen:

- 3) Strobel D, Seitz K, Blank W. et al, Contrast-enhanced ultrasound for the characterization of focal liver lesions--diagnostic accuracy in clinical practice (DEGUM multicenter trial). *Ultraschall Med.* 2008 Oct;29(5):499-505.
- 4) Strobel D, Seitz K, Blank W. et al. Tumor-specific vascularization pattern of liver metastasis, hepatocellular carcinoma, hemangioma and focal nodular hyperplasia in the differential diagnosis of 1,349 liver lesions in contrast-enhanced ultrasound (CEUS). *Ultraschall Med.* 2009 Aug;30(4):376-82. Epub 2009 Aug 17.
- 5) Seitz K, Strobel D, Bernatik T. et al. Contrast-Enhanced Ultrasound (CEUS) for the characterization of focal liver lesions - prospective comparison in clinical practice: CEUS vs. CT (DEGUM multicenter trial). *Ultraschall Med.* 2009 Aug;30(4):383-9.
6. Seitz K, Bernatik T, Strobel D, et al. Contrast-enhanced ultrasound (CEUS) for the characterization of focal liver lesions in clinical practice (DEGUM Multicenter Trial): CEUS vs. MRI--a prospective comparison in 269 patients. *Ultraschall Med.* 2010 Oct;31(5):492-9.
7. Strobel D, Bernatik T, Blank W, et al. Diagnostic accuracy of CEUS in the differential diagnosis of small (≤ 20 mm) and subcentimetric (≤ 10 mm) focal liver lesions in comparison with histology. Results of the DEGUM multicenter trial. *Ultraschall Med.* 2011 Dec;32(6):593-7
8. Sirli R, Sporea I, Martie A, et al. Contrast enhanced ultrasound in focal liver lesions--a cost efficiency study. *Med Ultrason.* 2010 Dec;12(4):280-5.
9. Schuler A, Reuss J, Delorme S, et al. Costs of clinical ultrasound examinations - an economical cost calculation and analysis]. *Ultraschall Med.* 2010 Aug;31(4):379-86.
10. Giesel FL, Delorme S, Sibbel R, et al. Contrast-enhanced ultrasound for the characterization of incidental liver lesions - an economical evaluation in comparison with multi-phase computed tomography]. *Ultraschall Med.* 2009 Jun;30(3):259-68.
11. Faccioli N, D'Onofrio M, Comai A, Cugini C. Contrast-enhanced ultrasonography in the characterization of benign focal liver lesions: activity-based cost analysis. *Radiol Med.* 2007 Sep;112(6):810-20.

Literaturverzeichnis
zum Titelthema „Neues aus der Sonografie des Abdomens“
Bayerisches Ärzteblatt 4/2012, Seite 154 ff.
Professorin Dr. Deike Strobel und Professor Dr. Thomas Bernatik

Metastasendetektion:

12. Albrecht T, Blomley MJ, Burns PN, Wilson S, Harvey CJ, Leen E, Claudon M, Calliada F, Correas JM, LaFortune M, Campani R, Hoffmann CW, Cosgrove DO, LeFevre F. Improved detection of hepatic metastases with pulse-inversion US during the liver-specific phase of SHU 508A: multicenter study. *Radiology*. 2003 May;227(2):361-70.
13. Bernatik T, Becker D, Neureiter D, Hänslers J, Frieser M, Schaber S, Hahn EG, Strobel D. Detection of liver metastases--comparison of contrast-enhanced ultrasound using first versus second generation contrast agents. *Ultraschall Med*. 2003 Jun;24(3):175-9.
14. Oldenburg A, Hohmann J, Foert E, Skrok J, Hoffmann CW, Frericks B, Wolf KJ, Albrecht T. Detection of hepatic metastases with low MI real time contrast enhanced sonography and SonoVue. *Ultraschall Med*. 2005 Aug;26(4):277-84.
15. Larsen LP, Rosenkilde M, Christensen H, Bang N, Bolvig L, Christiansen T, Laurberg S. The value of contrast enhanced ultrasonography in detection of liver metastases from colorectal cancer: a prospective double-blinded study. *Eur J Radiol*. 2007 May;62(2):302-7.
16. Yarmenitis SD, Karantanas A, Bakantaki A, Papantoniou Y, Gourtsoyiannis N. Detection of colorectal cancer hepatic metastases with contrast-enhanced ultrasound: comparison with conventional B-mode ultrasound. *Dig Dis*. 2007;25(1):86-93.
17. Piscaglia F, Corradi F, Mancini M, Giangregorio F, Tamberi S, Ugolini G, Cola B, Bazzocchi A, Righini R, Pini P, Fornari F, Bolondi L. Real time contrast enhanced ultrasonography in detection of liver metastases from gastrointestinal cancer. *BMC Cancer*. 2007
18. Konopke R, Kersting S, Bergert H, Bloomenthal A, Gastmeier J, Saeger HD, Bunk A. Contrast-enhanced ultrasonography to detect liver metastases : a prospective trial to compare transcutaneous unenhanced and contrast-enhanced ultrasonography in patients undergoing laparotomy. *Int J Colorectal Dis*. 2007 Feb;22(2):201-7.
19. Rafaelsen SR, Jakobsen A. Contrast-enhanced ultrasound vs multidetector-computed tomography for detecting liver metastases in colorectal cancer: a prospective, blinded, patient-by-patient analysis. *Colorectal Dis*. 2011 Apr;13(4):420-5.

MILZ:

20. Bert T, Tebbe J, Görg C: Was sollte bei einem zufällig im Ultraschall entdeckten Milztumor getan werden? *Z Gastroenterol*. 2010 Apr;48(4):465-71.
21. Stang A, Keles H, Hentschke S, von Seydewitz CU, Dahlke J, Habermann C, Wessling J: Der zufällig im Ultraschall entdeckte Milzherd: Verbessert die Kontrastmittelsonografie die Differenzialdiagnose zwischen benignen Hämangiomen/Hamartomen und malignen Milzherden? *Ultraschall Med*. 2011 Dec;32(6):582-92.

Literaturverzeichnis
zum Titelthema „Neues aus der Sonografie des Abdomens“
Bayerisches Ärzteblatt 4/2012, Seite 154 ff.
Professorin Dr. Deike Strobel und Professor Dr. Thomas Bernatik

22. Stang A, Keles H, Hentschke S, von Seydewitz CU, Dahlke J, Malzfeldt E, Braumann D: Differentiation of benign from malignant focal splenic lesions using sulfur hexafluoride-filled microbubble contrast-enhanced pulse-inversion sonography. *AJR Am J Roentgenol.* 2009 Sep;193(3):709-21.
23. Chiavaroli R, Grima P, Tundo P: Characterization of nontraumatic focal splenic lesions using contrast-enhanced sonography *J Clin Ultrasound.* 2011 Jul;39(6):310-5.
24. Yu X, Yu J, Liang P, Liu F: Real-time contrast-enhanced ultrasound in diagnosing of focal spleen lesions. *Eur J Radiol.* 2011 Jan 25.

ARFI:

25. Nightingale K, Soo MS, Nightingale R et al: Acoustic radiation force impulse imaging: in vivo demonstration of clinical feasibility. *Ultrasound Med Biol* 2002;28: 227–235
26. Friedrich-Rust M, Wunder K, Kriener S et al: Liver fibrosis in viral hepatitis: noninvasive assessment with acoustic radiation force impulse imaging versus transient elastography. *Radiology* 2009; 252: 595-604
27. Lupsor M, Badea R, Stefanescu H et al: Performance of a new elastographic method (ARFI technology) compared to unidimensional transient elastography in the noninvasive assessment of chronic hepatitis C. Preliminary results. *J Gastrointest Liver Dis* 2009; 18:303-310
28. Sporea I, Sirli R, Bota S et al: Is ARFI elastography reliable for predicting fibrosis severity in chronic HCV hepatitis? *World J Radiol.* 2011; 28;3(7):188-93
29. Friedrich-Rust M, Nierhoff J, Lupsor M, et al: Performance of Acoustic Radiation Force Impulse-Imaging for the staging of liver fibrosis: a pooled meta-analysis. In press *J Viral Hepat*
30. Sporea I, Badea R, Sirli R et al: How efficient is acoustic radiation force impulse elastography for the evaluation of liver stiffness? *Hepatitis Monthly* 2011;11(7):532-8.
31. Goertz RS, Zopf Y, Jugl V, Heide R, Janson C, Strobel D, Bernatik T, Haendl T : Measurement of liver elasticity with acoustic radiation force impulse (ARFI) technology: an alternative noninvasive method for staging liver fibrosis in viral hepatitis. *Ultraschall Med.* 2010 Apr;31(2):151-5.