

Literaturverzeichnis

zum Titelthema „S3-Leitlinie Extracranielle Karotisstenose. Multidisziplinäre, evidenz- und konsensbasierte deutsch-österreichische Leitlinie“

Bayerisches Ärzteblatt 3/2015, Seite 72 ff.

von Universitätsprofessor Dr. Hans-Henning Eckstein, Privatdozent Dr. Alexander Zimmermann, Dr. rer. nat. Heidi Söllner und Privatdozent Dr. Andreas Kühnl

1. Grau AJ, Weimar C, Buggle F, et al. Risk factors, outcome, and treatment in subtypes of ischemic stroke: the German stroke data bank. *Stroke* 2001;32:2559-2566.
2. Leitlinienreport der S3-Leitlinie zur Diagnostik, Therapie und Nachsorge der extracraniellen Carotisstenose, AWMF-Registernummer 004-028, www.awmf.org.
3. S3-Leitlinie zur Diagnostik, Therapie und Nachsorge der extracraniellen Carotisstenose, AWMF-Registernummer 004-028, www.awmf.org.
4. Brott TG, Halperin JL, Abbara S, et al. 2011 ASA/ACCF/AHA/AANN/AANS/ACR/ASNR/CNS/SAIP/SCAI/SIR/SNIS/SVM/SVS Guideline on the Management of Patients With Extracranial Carotid and Vertebral Artery Disease: Executive Summary A Report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines, and the American Stroke Association, American Association of Neuroscience Nurses, American Association of Neurological Surgeons, American College of Radiology, American Society of Neuroradiology, Congress of Neurological Surgeons, Society of Atherosclerosis Imaging and Prevention, Society for Cardiovascular Angiography and Interventions, Society of Interventional Radiology, Society of NeuroInterventional Surgery, Society for Vascular Medicine, and Society for Vascular Surgery Developed in Collaboration With the American Academy of Neurology and Society of Cardiovascular Computed Tomography. *Journal of the American College of Cardiology* 2011;57:1002-1044.
5. Goldstein LB, Bushnell CD, Adams RJ, et al. Guidelines for the primary prevention of stroke: a guideline for healthcare professionals from the American Heart Association/American Stroke Association. *Stroke; a journal of cerebral circulation* 2011;42:517-584.
6. Tendera M, Aboyans V, Bartelink ML, et al. ESC Guidelines on the diagnosis and treatment of peripheral artery diseases: Document covering atherosclerotic disease of extracranial carotid and vertebral, mesenteric, renal, upper and lower extremity arteries: the Task Force on the Diagnosis and Treatment of Peripheral Artery Diseases of the European Society of Cardiology (ESC). *European Heart Journal* 2011;32:2851-2906.
7. Ricotta JJ, Aburahma A, Ascher E, Eskandari M, Faries P, Lal BK. Updated Society for Vascular Surgery guidelines for management of extracranial carotid disease. *Journal of Vascular Surgery* 2011;54:e1-31.
8. Furie KL, Kasner SE, Adams RJ, et al. Guidelines for the prevention of stroke in patients with stroke or transient ischemic attack: a guideline for healthcare professionals from the American Heart Association/American Stroke Association. *Stroke; a journal of cerebral circulation*. 2011;42:227-276.
9. Liapis CD, Bell PR, Mikhailidis D, et al. ESVS guidelines. Invasive treatment for carotid stenosis: indications, techniques. *European journal of vascular and*

endovascular surgery : the official journal of the European Society for Vascular Surgery 2009;37:1-19.

10. de Weerd M, Greving JP, de Jong AW, Buskens E, Bots ML. Prevalence of asymptomatic carotid artery stenosis according to age and sex: systematic review and metaregression analysis. *Stroke*;2009;40:1105-1113.
11. Sander D DC, Eckstein HH, et al. . S3 guideline Extracranial Carotid Chapter 6: Epidemiology. *Gefasschirurgie* 2012;17:497-501.
12. Amarenco P, Labreuche J, Lavallee P, Touboul PJ. Statins in stroke prevention and carotid atherosclerosis: systematic review and up-to-date meta-analysis. *Stroke* 2004;35:2902-2909.
13. Naylor AR. What is the current status of invasive treatment of extracranial carotid artery disease? *Stroke* 2011;42:2080-2085.
14. Arning C, Widder B, von Reutern GM, Stiegler H, Gortler M. [Revision of DEGUM ultrasound criteria for grading internal carotid artery stenoses and transfer to NASCET measurement]. *Ultraschall Med* 2010;31:251-257.
15. Halliday A, Harrison M, Hayter E, et al. 10-year stroke prevention after successful carotid endarterectomy for asymptomatic stenosis (ACST-1): a multicentre randomised trial. *Lancet* 2010;376:1074-1084.
16. Abbott AL. Medical (nonsurgical) intervention alone is now best for prevention of stroke associated with asymptomatic severe carotid stenosis: results of a systematic review and analysis. *Stroke* 2009;40:e573-583.
17. Spence JD, Coates V, Li H, et al. Effects of intensive medical therapy on microemboli and cardiovascular risk in asymptomatic carotid stenosis. *Archives of Neurology* 2010;67:180-186.
18. Kennedy F, Featherstone RL, Brown MM. Current status of ECST-2. *Gefässchirurgie* 2013, DOI 10.1007/s00772-013-1234-5
19. Rudarakanchana N, Dialynas M, Halliday A. Asymptomatic Carotid Surgery Trial-2 (ACST-2): rationale for a randomised clinical trial comparing carotid endarterectomy with carotid artery stenting in patients with asymptomatic carotid artery stenosis. *European Journal of Vascular and Endovascular Surgery* 2009;38:239-242.
20. European Carotid Surgery Trialists' Collaborative Group. Randomised trial of endarterectomy for recently symptomatic carotid stenosis: Final results of the MRC European Carotid Surgery Trial (ECST). *Lancet* 1998;351:1379-1387.
21. Clinical alert: benefit of carotid endarterectomy for patients with high-grade stenosis of the internal carotid artery. National Institute of Neurological Disorders and Stroke Stroke and Trauma Division. North American Symptomatic Carotid Endarterectomy Trial (NASCET) investigators. *Stroke* 1991;22:816-817.
22. Rothwell PM, Eliasziw M, Gutnikov SA, et al. Analysis of pooled data from the randomised controlled trials of endarterectomy for symptomatic carotid stenosis. *Lancet* 2003;361:107-116.
23. Rothwell PM, Eliasziw M, Gutnikov SA, Warlow CP, Barnett HJ. Endarterectomy for symptomatic carotid stenosis in relation to clinical subgroups and timing of surgery. *Lancet* 2004;363:915-924.

24. Ringleb P BJ, Eckstein HH. S3 guideline Extracranial carotid Chapter 8.2: When and at what time is the indication for surgery or for intervention, asymptomatic/symptomatic stenosis (including emergency Indication), including subgroups that benefit more from an operational, endovascular or conservative therapy? *Gefasschirurgie* 2012;17:522-542.
25. Rerkasem K, Rothwell PM. Routine or selective carotid artery shunting for carotid endarterectomy (and different methods of monitoring in selective shunting). *Cochrane Database Syst Rev.*2009:CD000190.
26. Economopoulos KP, Sergentanis TN, Tsivgoulis G, Mariolis AD, Stefanadis C. Carotid artery stenting versus carotid endarterectomy: a comprehensive meta-analysis of short-term and long-term outcomes. *Stroke*;2011;42:687-692.
27. Bangalore S, Kumar S, Wetterslev J, et al. Carotid artery stenting vs carotid endarterectomy: meta-analysis and diversity-adjusted trial sequential analysis of randomized trials. *Archives of Neurology* 2011;68:172-184.
28. Brott TG, Hobson RW, 2nd, Howard G, et al. Stenting versus endarterectomy for treatment of carotid-artery stenosis. *The New England Journal of Medicine* 2010;363:11-23.
29. Eckstein HH, Ringleb P, Allenberg JR, et al. Results of the Stent-Protected Angioplasty versus Carotid Endarterectomy (SPACE) study to treat symptomatic stenoses at 2 years: a multinational, prospective, randomised trial. *Lancet Neurology* 2008;7:893-902.
30. Mas JL, Trinquart L, Leys D, et al. Endarterectomy Versus Angioplasty in Patients with Symptomatic Severe Carotid Stenosis (EVA-3S) trial: results up to 4 years from a randomised, multicentre trial. *Lancet Neurology* 2008;7:885-892.
31. Gurm HS, Yadav JS, Fayad P, et al. Long-term results of carotid stenting versus endarterectomy in high-risk patients. *The New England Journal of Medicine* 2008;358:1572-1579.
32. Ederle J, Bonati LH, Dobson J, et al. Endovascular treatment with angioplasty or stenting versus endarterectomy in patients with carotid artery stenosis in the Carotid and Vertebral Artery Transluminal Angioplasty Study (CAVATAS): long-term follow-up of a randomised trial. *Lancet Neurology* 2009;8:898-907.
33. Cohen DJ, Stolker JM, Wang K, et al. Health-related quality of life after carotid stenting versus carotid endarterectomy: results from CREST (Carotid Revascularization Endarterectomy Versus Stenting Trial). *Journal of the American College of Cardiology* 2011;58:1557-1565.
34. Storck M BJ, Doerfler A. . S3 guideline Extracranial Carotid Chapter 8.19: What are the requirements for training and quality of structure is to be placed on facilities where angiography or surgical/endovascular revascularization of carotid artery leads are performed? . *Gefasschirurgie* 2012;17:599-602.
35. Naggara O, Touze E, Beyssen B, et al. Anatomical and technical factors associated with stroke or death during carotid angioplasty and stenting: results from the endarterectomy versus angioplasty in patients with symptomatic severe carotid stenosis (EVA-3S) trial and systematic review. *Stroke* 2011;42:380-388.
36. Kolominsky-Rabas PL, Weber M, Gefeller O, Neundoerfer B, Heuschmann PU. Epidemiology of ischemic stroke subtypes according to TOAST criteria: incidence,

- recurrence, and long-term survival in ischemic stroke subtypes: a population-based study. *Stroke* 2001;32:2735-2740.
37. Scottish Intercollegiate Guidelines Network. Management of patients with stroke or TIA: assessment, investigation, immediate management and secondary prevention 2008.
 38. Intercollegiate Stroke Working Party. National clinical guideline for stroke. Third edition Incorporating the recommendations from Stroke: national clinical guideline for diagnosis and initial management of acute stroke and transient ischaemic attack (TIA) by the National Institute for Health and Clinical Excellence. 2008.
 39. European Stroke Organisation (ESO) Executive Committee and ESO Writing Committee. Guidelines for management of ischaemic stroke and transient ischaemic attack 2008. *Cerebrovascular Diseases* 2008;25:457-507.
 40. Deutsche Gesellschaft für Neurologie. Primär- und Sekundärprävention der zerebralen Ischämie. Gemeinsame Leitlinie der DGN und der Deutschen Schlaganfallgesellschaft. http://www.dgn.org/images/stories/dgn/leitlinien/LL2008/II08kap_024pdf 2008.
 41. Nicolaides AN, Kakkos SK, Griffin M, et al. Severity of asymptomatic carotid stenosis and risk of ipsilateral hemispheric ischaemic events: results from the ACSRS study. *European Journal of Vascular and Endovascular Surgery* 2005;30:275-284.
 42. Halliday A MA, Marro J, Menken M. Immediate carotid endarterectomy reduced non-perioperative stroke in severe asymptomatic carotid artery stenosis. *Evidence Based Medicine* 2004;9:145.
 43. Nadareishvili ZG, Rothwell PM, Beletsky V, Pagniello A, Norris JW. Long-term risk of stroke and other vascular events in patients with asymptomatic carotid artery stenosis. *Archives of Neurology* 2002;59:1162-1166.
 44. Toole JF BW, Castaldo JE, Chambless LE, Moore WS, Robertson JT, Young B, Howard VJ. . Endarterectomy for asymptomatic carotid artery stenosis. *Journal of the American Medical Association* 1995;273:1421-1428.
 45. Hobson RW, 2nd, Weiss DG, Fields WS, et al. Efficacy of carotid endarterectomy for asymptomatic carotid stenosis. The Veterans Affairs Cooperative Study Group. *The New England Journal of Medicine*.1993;328:221-227.
 46. Rerkasem K, Rothwell PM. Patch angioplasty versus primary closure for carotid endarterectomy. *Cochrane Database Syst Rev*.2009:CD000160.
 47. Rerkasem K, Rothwell PM. Local versus general anaesthesia for carotid endarterectomy. *Cochrane Database Syst Rev* 2008:CD000126.
 48. Naylor AR, Bown MJ. Stroke after cardiac surgery and its association with asymptomatic carotid disease: an updated systematic review and meta-analysis. *European journal of Vascular and Endovascular Surgery* 2011;41:607-624.
 49. Rantner B, Goebel G, Bonati L, Ringleb P, Mas JL, Fraedrich G for the Carotid Stenting Trialists' Collaboration. The risk of carotid artery stenting compared with carotid endarterectomy is greatest in patients treated within 7 days of symptoms. *J Vasc Surg* 2013; 57: 619-626

50. Reiff T, Amiri H, Ringleb PA et al. Treatment of asymptomatic carotid artery stenosis. Improvement of evidence with new SPACE-2 design necessary. *Gefasschirurgie* 2013; 18:621-625
51. Hacke W, Ringleb P, Jansen O, Eckstein HH. Asymptomatische Karotisstenosen - eine verpasste Chance. *Dtsch Arztebl* 2015; 112(7): A-272 / B-234 / C-230