

Literaturverzeichnis

zum Titelthema „S2k-Leitlinie Gastroösophageale Refluxkrankheit“

Bayerisches Ärzteblatt 10/2015, Seite 488 ff.

von Dr. Maximilian Bittinger, Dr. Bernd Geißler, Dr. Andreas Probst und Professor Dr. Helmut Messmann

1. Koop H, Fuchs K, Labenz J et al. S2k-Leitlinie: Gastroösophageale Refluxkrankheit unter Federführung der Deutschen Gesellschaft für Gastroenterologie, Verdauungs- und Stoffwechselkrankheiten (DGVS) Z Gastroenterol 2014; 52: 1299-1349
2. Vakil N, van Zanten S, Kahrilas P et al. The Montreal definition and classification of gastroesophageal reflux disease: a global evidence-based consensus. Am J Gastroenterol 2006; 101: 1900-1920
3. El-Serag H. Epidemiology of non-erosive reflux disease. Digestion 2008; 78 (Suppl 1): 6-10
4. Fass R, Ofman J. Gastroesophageal reflux disease – should we adopt a new conceptual framework? Am J Gastroenterol 2002; 97: 1901-1909
5. Thoua N, Khoo D, Kalantzis C. et al Acid-related oesophageal sensitivity, not dysmotility, differentiates subgroups of patients with non-erosive reflux disease. Aliment Pharmacol Ther 2008; 27: 396-403
6. Yang M, Li Z, Chen D et al. Quantitative assessment and characterization of visceral hyperalgesia evoked by esophageal balloon distension and acid perfusion in patients with functional heartburn, nonerosive reflux disease and erosive esophagitis. Clin J Pain 2010; 26: 326-331
7. Schreiber S, Garten D, Sudhoff H. Pathophysiological mechanisms of extraesophageal reflux in otolaryngeal disorders. Eur Arch Otorhinolaryngol 2009; 266: 17-24
8. Chung K, McGarvey L, Mazzone S. Chronic cough as a neuropathic disorder. Lancet Respir Med 2013; 1 : 414-422
9. Ofman J. The economic and quality-of-life impact of symptomatic gastroesophageal reflux disease. Am J Gastroenterol 2003; 98 (Suppl 3): S8-S14
10. Bytzer P, Jones R, Vakil N et al. Limited ability of the proton-pump inhibitor test to identify patients with gastroesophageal reflux disease. Clin Gastroenterol Hepatol 2012;10: 1360-1366
11. Reimer C, Sondergaard B, Hilsted L et al. Proton-pump inhibitor therapy induces acid-related symptoms in healthy volunteers after withdrawal of therapy. Gastroenterology 2009; 137: 80-87
12. Rath H, Timmer A, Kunkel C et al. Comparison of interobserver agreement for different scoring systems for reflux esophagitis: Impact of level of experience. Gastrointest Endosc 2004; 60: 44-49
13. Lacy B, Weiser K, Chertoff J et al. The diagnosis of gastroesophageal reflux disease. Am J Med 2010; 123; 583-592
14. Richter J, Bradley L, DeMeester T et al. Normal 24-hr ambulatory esophageal pH values. Influence of study center, pH electrode, age and gender. Dig Dis Sci 1992; 37: 849-856

15. Zerbib F, des Varannes S, Roman S et al. Normal values and day-to day variability of 24-h ambulatory oesophageal impedance-pH monitoring in a Belgian-French cohort of healthy subjects. *Aliment Pharmacol Ther* 2005; 22: 1001-1021
16. Katz P, Gerson L, Vela M. Guidelines for the diagnosis and management of gastroesophageal reflux disease. *Am J Gastroenterol* 2013; 108: 308-328
17. Van Pinxteren B, Sigterman K, Bonis P et al. Short-term treatment with proton pump inhibitors, H₂-receptor antagonists and prokinetics for gastro-oesophageal reflux disease-like symptoms an endoscopy negative reflux disease *Cochrane Database of Systematic Reviews* 2010; CD002095
18. Hansen A, Bergheim R, Fagertun H. A randomised prospective study comparing the effectiveness of esomeprazole treatment strategies in clinical practice for 6 months in the management of patients with symptoms of gastroesophageal reflux disease. *Int J Clin Pract* 2005; 59: 665-671
19. Armstrong D, Talley N, Lauritsen K et al. The role of acid suppression in patients with endoscopy-negative reflux disease: the effect of treatment with esomeprazole or omeprazole. *Aliment Pharmacol Ther* 2004; 20: 413-421
20. Pace F, Tonini M, Pallotta S et al. Systematic review: Maintenance treatment of gastro-oesophageal reflux disease with proton pump inhibitors taken "on demand". *Aliment Pharmacol Ther* 2007; 102: 642-653
21. Wahlgqvist P, Junghard O, Higgins A et al. Cost effectiveness of proton pump inhibitors in gastro-oesophgeal reflux disease without oesophagitis: comparison of on-demand esomeprazols with continuouos omeprazole strategies. *Pharmacoeconomics* 2002; 20: 267-277
22. Johnson D, Benjamin S, VAkil N. Esomeprazole 20mg once daily for 6 months is effective therapy for maintaining healed erosive esophagitis and for controlling gastroesophageal reflux disease symptoms: a randomized, double-blind, placebo-controlled study of efficacy and safety. *Aliment Pharmacol Ther* 2001; 15: 927-935
23. Galmiche JP, Hatlebakk J, Attwood S et al. (2011) Laparoscopic antireflux surgery vs esomeprazole treatment for chronic GERD: the LOTUS randomized clinical trial. *JAMA: the journal of the American Medical Association* 305:1969-1977
24. Anvari M, Allen C, Marshall J et al. A randomized controlled trial of laparoscopic Nissen fundoplication versus proton pump inhibitors for the treatment of patients with chronic gastroesophageal reflux disease (GERD): 3-year outcomes. *Surgical endoscopy* 2011; 25:2547-2554
25. Grant AM, Cotton SC, Boachie C et al. Minimal access surgery compared with medical management for gastro-oesophageal reflux disease: five year follow-up of a randomised controlled trial (REFLUX). *BMJ* 2013; 346:f1908
26. Mehta S, Bennett J, Mahon D et al. Prospective trial of laparoscopic nissen fundoplication versus proton pump inhibitor therapy for gastroesophageal reflux disease: Seven-year follow-up. *Journal of gastrointestinal surgery: official journal of the Society for Surgery of the Alimentary Tract* 2006; 10:1312-1316; discussion 1316-1317
27. Broeders JA, Rijnhart-De Jong HG, Draisma WA et al. Ten-year outcome of laparoscopic and conventional nissen fundoplication: randomized clinical trial. *Annals of surgery* 2009; 250:698-706

28. Salminen PT, Hiekkanen HI, Rantala AP et al. Comparison of long-term outcome of laparoscopic and conventional nissen fundoplication: a prospective randomized study with an 11-year follow-up. *Annals of surgery* 2007; 246:201-206
29. Broeders JA, Mauritz FA, Ahmed Ali U et al. Systematic review and meta-analysis of laparoscopic Nissen (posterior total) versus Toupet (posterior partial) fundoplication for gastro-oesophageal reflux disease. *The British journal of surgery* 2010; 97:1318-1330
30. Sgromo B, Irvine LA, Cuschieri A et al. Long-term comparative outcome between laparoscopic total Nissen and Toupet fundoplication: Symptomatic relief, patient satisfaction and quality of life. *Surgical endoscopy* 2008; 22:1048-1053
31. Sifrim D, Zerbib F. Diagnosis and management of patients with reflux symptoms refractory to proton pump inhibitors. *GUT* 2012; 61: 1340-1354
32. Wolfsen HC, Crook JE, Krishna M, Achem SR, Devault KR, Bouras EP, Loeb DS, Stark ME, Woodward TA, Hemminger LL, Cayer FK, Wallace MB. Prospective, controlled tandem endoscopy study of narrow band imaging for dysplasia detection in Barrett's Esophagus. *Gastroenterology*. 2008; 135: 24-31.
33. Pech O, May A, Manner H, Behrens A, Pohl J, Weferling M, Hartmann U, Manner N, Huijsmans J, Gossner L, Rabenstein T, Vieth M, Stolte M, Ell C. Long-term efficacy and safety of endoscopic resection for patients with mucosal adenocarcinoma of the esophagus. *Gastroenterology*. 2014;146: 652-660.
34. Probst A, Aust D, Märkl B, Anthuber M, Messmann H. Early esophageal cancer in Europe: endoscopic treatment by endoscopic submucosal dissection. *Endoscopy*. 2015; 47: 113-21
35. Phoa KN, van Vilsteren FG, Weusten BL, Bisschops R, Schoon EJ, Ragunath K, Fullarton G, Di Pietro M, Ravi N, Visser M, Offerhaus GJ, Seldenrijk CA, Meijer SL, ten Kate FJ, Tijssen JG, Bergman JJ. Radiofrequency ablation vs endoscopic surveillance for patients with Barrett esophagus and low-grade dysplasia: a randomized clinical trial. *JAMA*. 2014; 311: 1209-17.
36. Shaheen NJ, Sharma P, Overholt BF, Wolfsen HC, Sampliner RE, Wang KK, Galanko JA, Bronner MP, Goldblum JR, Bennett AE, Jobe BA, Eisen GM, Fennerty MB, Hunter JG, Fleischer DE, Sharma VK, Hawes RH, Hoffman BJ, Rothstein RI, Gordon SR, Mashimo H, Chang KJ, Muthusamy VR, Edmundowicz SA, Spechler SJ, Siddiqui AA, Souza RF, Infantolino A, Falk GW, Kimmey MB, Madanick RD, Chak A, Lightdale CJ. Radiofrequency ablation in Barrett's esophagus with dysplasia. *N Engl J Med*. 2009; 360: 2277-88.
37. Phoa KN, Pouw RE, Bisschops R, Pech O, Ragunath K, Weusten BL, Schumacher B, Rembacken B, Meining A, Messmann H, Schoon EJ, Gossner L, Mannath J, Seldenrijk CA, Visser M, Lerut T, Seewald S, Ten Kate FJ, Ell C, Neuhaus H, Bergman JJ. Multimodality endoscopic eradication for neoplastic Barrett oesophagus: results of an European multicentre study (EURO-II). *Gut*. 2015 Mar 2. pii: gutjnl-2015-309298. doi: 10.1136/gutjnl-2015-309298.
38. Manner H, Pech O, Heldmann Y, May A, Pohl J, Behrens A, Gossner L, Stolte M, Vieth M, Ell C. Efficiency, safety and long-term results of endoscopic treatment for early-stage adenocarcinoma of the esophagus with low-risk sm1 invasion. *Clin Gastroenterol Hepatol* 2013; 11: 630-5