

Literaturverzeichnis

zum Titelthema „Diagnostik und Therapie des chronischen Tinnitus“

Bayerisches Ärzteblatt 11/2015, Seite 560 ff.

von Privatdozent Dr. Berthold Langguth, Dr Veronika Vielsmeier und Privatdozent Dr. Tobias Kleinjung

1. Krog NH, Engdahl B, Tambs K. The association between tinnitus and mental health in a general population sample: results from the HUNT Study. *J PsychosomRes.* 2010; **69**(3): 289-98.
2. Axelsson A, Ringdahl A. Tinnitus--a study of its prevalence and characteristics. *BrJ Audiol.* 1989; **23**(1): 53-62.
3. Pilgram R. Tinnitus in der BRD. *HNO aktuell.* 1999; **7**: 261-5.
4. Shargorodsky J, Curhan GC, Farwell WR. Prevalence and characteristics of tinnitus among US adults. *AmJ Med.* 2010; **123**(8): 711-8.
5. Hoffman HJ, Reed GW. Epidemiology of Tinnitus. In: Snow JB, editor. *Tinnitus: Theory and Management.* London: BC Decker; 2004. p. 16-41.
6. Michikawa T, Nishiwaki Y, Kikuchi Y, Saito H, Mizutari K, Okamoto M, et al. Prevalence and factors associated with tinnitus: a community-based study of Japanese elders. *J Epidemiol.* 2010; **20**(4): 271-6.
7. Khedr EM, Ahmed MA, Shawky OA, Mohamed ES, El Attar GS, Mohammad KA. Epidemiological Study of Chronic Tinnitus in Assiut, Egypt. *Neuroepidemiology.* 2010; **35**(1): 45-52.
8. Lasisi AO, Abiona T, Gureje O. Tinnitus in the elderly: Profile, correlates, and impact in the Nigerian Study of Ageing. *Otolaryngol Head Neck Surg.* 2010; **143**(4): 510-5.
9. Xu X, Bu X, Zhou L, Xing G, Liu C, Wang D. An epidemiologic study of tinnitus in a population in Jiangsu Province, China. *J Am Acad Audiol.* 2011; **22**(9): 578-85.
10. Roberts LE, Eggermont JJ, Caspary DM, Shore SE, Melcher JR, Kaltenbach JA. Ringing ears: the neuroscience of tinnitus. *J Neurosci.* 2010; **30**(45): 14972-9.
11. Helfer TM. Noise-induced hearing injuries, active component, U.S. Armed Forces, 2007-2010. *MSMR.* 2011; **18**(6): 7-10.
12. Langguth B. A review of tinnitus symptoms beyond 'ringing in the ears': a call to action. *CurrMedResOpin.* 2011; **27**(8): 1635-43.
13. Friberg E, Jansson C, Mittendorfer-Rutz E, Rosenhall U, Alexanderson K. Sickness absence due to otoaudiological diagnoses and risk of disability pension: a nationwide Swedish prospective cohort study. *PLoS ONE.* 2012; **7**(1): e29966.
14. Dobie RA. A review of randomized clinical trials in tinnitus. *Laryngoscope.* 1999; **109**: 1202-11.
15. Jastreboff PJ, Brennan JF, Coleman JK, Sasaki CT. Phantom auditory sensation in rats: an animal model for tinnitus. *BehavNeurosci.* 1988; **102**(6): 811-22.
16. Jastreboff PJ. Phantom auditory perception (tinnitus): mechanisms of generation and perception. *NeurosciRes.* 1990; **8**: 221-54.
17. Cima RF, Maes IH, Joore MA, Scheyen DJ, El RA, Baguley DM, et al. Specialised treatment based on cognitive behaviour therapy versus usual care for tinnitus: a randomised controlled trial. *Lancet.* 2012; **379**(9830): 1951-9.
18. Martinez-Devesa P, Perera R, Theodoulou M, Waddell A. Cognitive behavioural therapy for tinnitus. *Cochrane Database SystRev.* 2010; (9): CD005233.
19. Langguth B. Tinnitus: the end of therapeutic nihilism. *Lancet.* 2012; **379**(9830): 1926-8.
20. Weisz N, Hartmann T, Dohrmann K, Schlee W, Norena A. High-frequency tinnitus without hearing loss does not mean absence of deafferentation. *Hear Res.* 2006; **222**(1-2): 108-14.
21. Dandy W. Surgical treatment of Ménière's disease. *Surg Gynaecol Obstet.* 1941; **72**: 421-5.
22. Weisz N, Hartmann T, Dohrmann K, Schlee W, Norena A. High-frequency tinnitus without hearing loss does not mean absence of deafferentation. *Hear Res.* 2006; **222**(1-2): 108-14.

23. Job A, Raynal M, Kossowski M. Susceptibility to tinnitus revealed at 2 kHz range by bilateral lower DPOAEs in normal hearing subjects with noise exposure. *AudiolNeurotol.* 2007; **12**(3): 137-44.
24. Norena A, Micheyl C, Chery-Croze S, Collet L. Psychoacoustic characterization of the tinnitus spectrum: implications for the underlying mechanisms of tinnitus. *AudiolNeurotol.* 2002; **7**(6): 358-69.
25. Scheelmann M, Vielsmeier V, Steffens T, Landgrebe M, Langguth B, Kleinjung T. Relationship between Audiometric slope and tinnitus pitch in tinnitus patients: insights into the mechanisms of tinnitus generation. *PLoS One.* 2012; **7**(4): e34878.
26. De Ridder D, Elgooyen AB, Romo R, Langguth B. Phantom percepts: Tinnitus and pain as persisting aversive memory networks. *ProcNatlAcadSciUSA.* 2011; **108**(20): 8075-80.
27. Levine RA. Somatic (craniocervical) tinnitus and the dorsal cochlear nucleus hypothesis. *AmJOTolaryngol.* 1999; **20**(6): 351-62.
28. Shore S, Zhou J, Koehler S. Neural mechanisms underlying somatic tinnitus. *ProgBrain Res.* 2007; **166**: 107-23.
29. Hinton DE, Chhean D, Pich V, Hofmann SG, Barlow DH. Tinnitus among Cambodian refugees: relationship to PTSD severity. *JTrauma Stress.* 2006; **19**(4): 541-6.
30. Kreuzer PM, Landgrebe M, Scheelmann M, Staudinger S, Langguth B. Trauma-associated tinnitus: audiological, demographic and clinical characteristics. *PLoS One.* 2012; **7**(9): e45599.
31. Ortmann M, Muller N, Schlee W, Weisz N. Rapid increases of gamma power in the auditory cortex following noise trauma in humans. *EurJ Neurosci.* 2011; **33**(3): 568-75.
32. Jackson P. A comparison of the effects of eighth nerve section with lidocaine on tinnitus. *J Laryngol Otol.* 1985; **99**(7): 663-6.
33. Norena AJ, Eggermont JJ. Enriched acoustic environment after noise trauma reduces hearing loss and prevents cortical map reorganization. *JNeurosci.* 2005; **25**(3): 699-705.
34. Norena AJ. An integrative model of tinnitus based on a central gain controlling neural sensitivity. *NeurosciBiobehavRev.* 2011; **35**(5): 1089-109.
35. Schaette R, Kemper R. Development of tinnitus-related neuronal hyperactivity through homeostatic plasticity after hearing loss: a computational model. *EurJ Neurosci.* 2006; **23**(11): 3124-38.
36. Yang S, Weiner BD, Zhang LS, Cho SJ, Bao S. Homeostatic plasticity drives tinnitus perception in an animal model. *ProcNatlAcadSciUSA.* 2011; **108**(36): 14974-9.
37. De Ridder D, Vanneste S, Freeman W. The Bayesian brain: Phantom percepts resolve sensory uncertainty. *Neurosci Biobehav Rev.* 2012.
38. Muhlnickel W, Elbert T, Taub E, Flor H. Reorganization of auditory cortex in tinnitus. *ProcNatlAcadSciUSA.* 1998; **95**: 10340-3.
39. Reed A, Riley J, Carraway R, Carrasco A, Perez C, Jakkamsetti V, et al. Cortical map plasticity improves learning but is not necessary for improved performance. *Neuron.* 2011; **70**(1): 121-31.
40. Richardson BD, Brozoski TJ, Ling LL, Caspary DM. Targeting inhibitory neurotransmission in tinnitus. *Brain Res.* 2012.
41. Brozoski T, Odintsov B, Bauer C. Gamma-aminobutyric acid and glutamic acid levels in the auditory pathway of rats with chronic tinnitus: a direct determination using high resolution point-resolved proton magnetic resonance spectroscopy (H-MRS). *Front SystNeurosci.* 2012; **6**: 9.
42. van der Loo E, Gais S, Congedo M, Vanneste S, Plazier M, Menovsky T, et al. Tinnitus intensity dependent gamma oscillations of the contralateral auditory cortex. *PLoS ONE.* 2009; **4**(10): e7396.
43. Weisz N, Moratti S, Meinzer M, Dohrmann K, Elbert T. Tinnitus perception and distress is related to abnormal spontaneous brain activity as measured by magnetoencephalography. *PLoS Med.* 2005; **2**(6): e153.

44. Weisz N, Dohrmann K, Elbert T. The relevance of spontaneous activity for the coding of the tinnitus sensation. *Prog Brain Res*. 2007; **166**: 61-70.
45. Lanting CP, De Kleine E, Van Dijk P. Neural activity underlying tinnitus generation: results from PET and fMRI. *Hear Res*. 2009; **255**(1-2): 1-13.
46. Schlee W, Hartmann T, Langguth B, Weisz N. Abnormal resting-state cortical coupling in chronic tinnitus. *BMC Neurosci*. 2009; **10**(11).
47. Schlee W, Weisz N, Bertrand O, Hartmann T, Elbert T. Using auditory steady state responses to outline the functional connectivity in the tinnitus brain. *PLoS ONE*. 2008; **3**(11): e3720.
48. Demertzi A, Soddu A, Laureys S. Consciousness supporting networks. *Curr Opin Neurobiol*. 2012.
49. Sadaghiani S, Hesselmann G, Kleinschmidt A. Distributed and antagonistic contributions of ongoing activity fluctuations to auditory stimulus detection. *J Neurosci*. 2009; **29**(42): 13410-7.
50. Hebert S, Canlon B, Hasson D. Emotional exhaustion as a predictor of tinnitus. *Psychother Psychosom*. 2012; **81**(5): 324-6.
51. Langguth B, Landgrebe M, Kleinjung T, Sand GP, Hajak G. Tinnitus and depression. *World J Biol Psychiatry*. 2011; **12**(7): 489-500.
52. De Ridder D, Fransen H, Francois O, Sunaert S, Kovacs S, Van de Heyning P. Amygdalohippocampal involvement in tinnitus and auditory memory. *Acta Otolaryngol Suppl*. 2006; (556): 50-3.
53. Vanneste S, Plazier M, van der Loo E, Van de Heyning P, Congedo M, De Ridder D. The neural correlates of tinnitus-related distress. *Neuroimage*. 2010; **52**(2): 470-80.
54. Goble TJ, Moller AR, Thompson LT. Acute high-intensity sound exposure alters responses of place cells in hippocampus. *Hear Res*. 2009; **253**(1-2): 52-9.
55. Kraus KS, Mitra S, Jimenez Z, Hinduja S, Ding D, Jiang H, et al. Noise trauma impairs neurogenesis in the rat hippocampus. *Neuroscience*. 2010; **167**(4): 1216-26.
56. Landgrebe M, Langguth B, Rosengarth K, Braun S, Koch A, Kleinjung T, et al. Structural brain changes in tinnitus: grey matter decrease in auditory and non-auditory brain areas. *Neuroimage*. 2009; **46**(1): 213-8.
57. Rauschecker JP, Leaver AM, Muhlau M. Tuning out the noise: limbic-auditory interactions in tinnitus. *Neuron*. 2010; **66**(6): 819-26.
58. Cheung SW, Larson PS. Tinnitus modulation by deep brain stimulation in locus of caudate neurons (area LC). *Neuroscience*. 2010; **169**(4): 1768-78.
59. Vanneste S, van de Heyning P, De Ridder D. The neural network of phantom sound changes over time: a comparison between recent-onset and chronic tinnitus patients. *Eur J Neurosci*. 2011; **34**(5): 718-31.
60. Heffner HE, Harrington IA. Tinnitus in hamsters following exposure to intense sound. *Hear Res*. 2002; **170**(1-2): 83-95.
61. Ahlf S, Tziridis K, Korn S, Strohmeyer I, Schulze H. Predisposition for and prevention of subjective tinnitus development. *PLoS One*. 2012; **7**(10): e44519.
62. Bauer CA, Brozoski TJ, Rojas R, Boley J, Wyder M. Behavioral model of chronic tinnitus in rats. *Otolaryngol Head Neck Surg*. 1999; **121**(4): 457-62.
63. Lobarinas E, Sun W, Cushing R, Salvi R. A novel behavioral paradigm for assessing tinnitus using schedule-induced polydipsia avoidance conditioning (SIP-AC). *Hear Res*. 2004; **190**(1-2): 109-14.
64. Ruttiger L, Ciuffani J, Zenner HP, Knipper M. A behavioral paradigm to judge acute sodium salicylate-induced sound experience in rats: a new approach for an animal model on tinnitus. *Hear Res*. 2003; **180**(1-2): 39-50.
65. Turner JG, Brozoski TJ, Bauer CA, Parrish JL, Myers K, Hughes LF, et al. Gap detection deficits in rats with tinnitus: a potential novel screening tool. *Behav Neurosci*. 2006; **120**(1): 188-95.
66. Engineer ND, Riley JR, Seale JD, Vrana WA, Shetake JA, Sudanagunta SP, et al. Reversing pathological neural activity using targeted plasticity. *Nature*. 2011.
67. Eggermont JJ. Hearing loss, hyperacusis, or tinnitus: What is modeled in animal research? *Hear Res*. 2012.

68. Hesser H, Weise C, Westin VZ, Andersson G. A systematic review and meta-analysis of randomized controlled trials of cognitive-behavioral therapy for tinnitus distress. *ClinPsycholRev.* 2010.
69. Hobson J, Chisholm E, El Refaei A. Sound therapy (masking) in the management of tinnitus in adults. *Cochrane Database SystRev.* 2010; (12): CD006371.
70. Schaeffer R, Konig O, Hornig D, Gross M, Kempter R. Acoustic stimulation treatments against tinnitus could be most effective when tinnitus pitch is within the stimulated frequency range. *Hear Res.* 2010; **269**(1-2): 95-101.
71. Van de Heyning P, Vermeire K, Diebl M, Nopp P, Anderson I, De Ridder D. Incapacitating unilateral tinnitus in single-sided deafness treated by cochlear implantation. *AnnOtolRhinolLaryngol.* 2008; **117**(9): 645-52.
72. Elgoyhen AB, Langguth B. Pharmacological approaches to the treatment of tinnitus. *Drug DiscovToday.* 2010; **15**(7-8): 300-5.
73. De Ridder D, Vanneste S, Kovacs S, Sunaert S, Menovsky T, Van de Heyning P, et al. Transcranial magnetic stimulation and extradural electrodes implanted on secondary auditory cortex for tinnitus suppression. *J Neurosurg.* 2011.
74. Peng Z, Chen XQ, Gong SS. Effectiveness of repetitive transcranial magnetic stimulation for chronic tinnitus: a systematic review. *Otolaryngol Head Neck Surg.* 2012; **147**(5): 817-25.
75. Hoare DJ, Kowalkowski VL, Kang S, Hall DA. Systematic review and meta-analyses of randomized controlled trials examining tinnitus management. *Laryngoscope.* 2011; **121**(7): 1555-64.
76. Landgrebe M, Azevedo A, Baguley D, Bauer C, Cacace A, Coelho C, et al. Methodological aspects of clinical trials in tinnitus: A proposal for an international standard. *J PsychosomRes.* 2012; **73**(2): 112-21.
77. Langguth B, Goodey R, Azevedo A, Bjorne A, Cacace A, Crocetti A, et al. Consensus for tinnitus patient assessment and treatment outcome measurement: Tinnitus Research Initiative meeting, Regensburg, July 2006. *ProgBrain Res.* 2007; **166**: 525-36.
78. Hoare DJ, Hall DA. Clinical Guidelines and Practice: A Commentary on the Complexity of Tinnitus Management. *EvalHealth Prof.* 2011.
79. Jastreboff PJ. Tinnitus retraining therapy. *ProgBrain Res.* 2007; **166**: 415-23.
80. Bauer CA, Brozoski TJ. Effect of tinnitus retraining therapy on the loudness and annoyance of tinnitus: a controlled trial. *Ear Hear.* 2011; **32**(2): 145-55.
81. Henry JA, Schechter MA, Zaugg TL, Griest S, Jastreboff PJ, Vernon JA, et al. Outcomes of clinical trial: tinnitus masking versus tinnitus retraining therapy. *J AmAcadAudiol.* 2006; **17**(2): 104-32.
82. Phillips JS, McFerran D. Tinnitus Retraining Therapy (TRT) for tinnitus. *Cochrane Database SystRev.* 2010; (3): CD007330.
83. McNeill C, Tavora-Vieira D, Alnafjan F, Searchfield GD, Welch D. Tinnitus pitch, masking, and the effectiveness of hearing aids for tinnitus therapy. *Int J Audiol.* 2012; **51**(12): 914-9.
84. Baguley DM, Atlas MD. Cochlear implants and tinnitus. *ProgBrain Res.* 2007; **166**: 347-55.
85. Norena A, Micheyl C, Chery-Croze S. An auditory negative after-image as a human model of tinnitus. *Hear Res.* 2000; **149**(1-2): 24-32.
86. Norena AJ, Eggermont JJ. Enriched acoustic environment after noise trauma abolishes neural signs of tinnitus. *Neuroreport.* 2006; **17**(6): 559-63.
87. Davis PB, Paki B, Hanley PJ. Neuromonics Tinnitus Treatment: third clinical trial. *Ear Hear.* 2007; **28**(2): 242-59.
88. Vanneste S, van Dongen M, De Vree B, Hiseni S, van der Velden E, Strydis C, et al. Does enriched acoustic environment in humans abolish chronic tinnitus clinically and electrophysiologically? A double blind placebo controlled study. *Hear Res.* 2012; **296**: 141-8.

89. Okamoto H, Stracke H, Stoll W, Pantev C. Listening to tailor-made notched music reduces tinnitus loudness and tinnitus-related auditory cortex activity. *ProcNatlAcadSciUSA*. 2010; **107**(3): 1207-10.
90. Tass PA, Adamchic I, Freund HJ, von ST, Hauptmann C. Counteracting tinnitus by acoustic coordinated reset neuromodulation. *RestorNeurol Neurosci*. 2012.
91. Roberts LE, Bosnyak DJ. Auditory Training in Tinnitus. In: Moller A, Langguth B, De Ridder D, Kleinjung T, editors. *Textbook of Tinnitus*. New York: Springer; 2011. p. 563-73.
92. Hoare DJ, Stacey PC, Hall DA. The efficacy of auditory perceptual training for tinnitus: a systematic review. *AnnBehavMed*. 2010; **40**(3): 313-24.
93. Langguth B, Elgoyen AB. Current pharmacological treatments for tinnitus. *Expert Opin Pharmacother*. 2012; **13**(17): 2495-509.
94. Trellakis S, Lautermann J, Lehnerdt G. Lidocaine: neurobiological targets and effects on the auditory system. *ProgBrain Res*. 2007; **166**: 303-22.
95. Baldo P, Doree C, Molin P, McFerran D, Cecco S. Antidepressants for patients with tinnitus. *Cochrane Database Syst Rev*. 2012; **9**: CD003853.
96. Hoekstra CE, Rynja SP, van Zanten GA, Rovers MM. Anticonvulsants for tinnitus. *Cochrane Database SystRev*. 2011; (7): CD007960.
97. Mardini MK. Ear-clicking "tinnitus" responding to carbamazepine. *N Engl J Med*. 1987; **317**(24): 1542.
98. Han SS, Nam EC, Won JY, Lee KU, Chun W, Choi HK, et al. Clonazepam Quiets tinnitus: a randomised crossover study with Ginkgo Biloba. *J Neurol Neurosurg Psychiatry*. 2012; **83**(8): 821-7.
99. Meng Z, Liu S, Zheng Y, Phillips JS. Repetitive transcranial magnetic stimulation for tinnitus. *Cochrane Database SystRev*. 2011; **10**: CD007946.
100. Biesinger E, Heiden C, Greimel V, Lendle T, Hoing R, Albegger K. [Strategies in ambulatory treatment of tinnitus]. *HNO*. 1998; **46**(2): 157-69.