

Literaturverzeichnis

zum Titelthema „S3-Leitlinie Hysterektomie, Indikation und Methodik“

Bayerisches Ärzteblatt 1-2/2016, Seite 8 ff.

von Professor Dr. Stefan P. Renner, MBA, und Professor Dr. Matthias W. Beckmann

- 1 Indication and technics of hysterectomy for benign diseases. Guideline of the German Society of Gynecology and Obstetrics (AWMF Registry No. 015/077, March 2015. <http://www.awmf.org/leitlinien/detail/II/015-070.html> [Letzter Zugriff: 15.11.2015]
- 2 AQUA Institut für angewandte Qualitätsförderung und Forschung im Gesundheitswesen GmbH Mh-, 37073 Göttingen. AQUA. Bundesauswertung zum Verfahrensjahr 2012. 15/1 Gynäkologische Operationen. . https://www.sggde/downloads/Bundesauswertungen/2012/bu_Gesamt_15N1-GYN-OP_2012pdf. 2013; [Letzter Zugriff: 01.11.2015]
- 3 Sutton, C., Hysterectomy: a historical perspective., Baillieres Clin Obstet Gynaecol. 1997 Mar;11(1):1-22.
- 4 Litynski GS. Kurt Semm and the fight against skepticism: endoscopic hemostasis, laparoscopic appendectomy, and Semm's impact on the "laparoscopic revolution". JSLS. 1998 Jul-Sep;2(3):309-13. Review
- 5 Donnez J, Nisolle M., Laparoscopic supracervical (subtotal) hysterectomy (LASH).J Gynecol Surg. 1993 Summer;9(2):91-4.
- 6 Beckmann MW, Juhasz-Böss I, Denschlag D, Gaß P, Dimpfl T, Harter P, Mallmann P, Renner SP, Rimbach S, Runnebaum I, Untch M, Brucker SY, Wallwiener D. Surgical Methods for the Treatment of Uterine Fibroids - Risk of Uterine Sarcoma and Problems of Morcellation: Position Paper of the DGGG. Geburtshilfe Frauenheilkd. 2015 Feb;75(2):148-164
- 7 U.S. Food and Drug Administration. Laparoscopic uterine power morcellation in hysterectomy and myomectomy: FDA safety communication. Abrufbar unter: <http://www.fda.gov/MedicalDevices/Safety/AlertsandNotices/ucm393576.htm> [Letzter Zugriff: 21.11.2015]
- 8 U.S. Food and Drug Administration. Updated laparoscopic uterine power morcellation in hysterectomy and myomectomy: FDA safety communication. Abrufbar unter: <http://www.fda.gov/medicaldevices/safety/alertsandnotices/ucm424443.htm> [Letzter Zugriff: 21.11.2015]
- 9 Brölmann H, Tanos V, Grimbizis G et al. Options on fibroid morcellation; a literature review. Gynecol Surg 2014; DOI: 10.1007/s10397-015-0878-4
- 10 Society of Gynecologic Oncology. SGO position statement: morcellation. Online: <https://www.sgo.org/newsroom/position-statements-2/morcellation/>; [Letzter Zugriff: 21.11.2015]

- 11 Society of Gynecologic Oncology. Statement of the SGO to the FDA's Obstetrics and Gynecology Medical Devices Advisory Committee concerning safety of laparoscopic power morcellation. Online: <https://www.sgo.org/wp-content/uploads/2014/04/SGO-Testimony-to-FDAon-Power-Morcellation-FINAL.pdf>; [Letzter Zugriff: 21.11.2015]
- 12 Society of Gynecologic Oncology. Statement of the SGO to the FDA's Obstetrics and Gynecology Medical Devices Advisory Committee concerning safety of laparoscopic power morcellation. Online: <https://www.sgo.org/wp-content/uploads/2014/04/SGO-Testimony-to-FDAon-Power-Morcellation-FINAL.pdf>; [Letzter Zugriff: 21.11.2015]
- 13 American College of Obstetricians and Gynecologists. Power morcellation and occult malignancy in gynecologic surgery. Online: <http://www.acog.org/Resources-And-Publications/Task-Force-and-Work-Group-Reports/Power-Morcellation-and-Occult-Malignancy-in-Gynecologic-Surgery>; [Letzter Zugriff: 21.11.2015]
- 14 AAGL Advancing Minimally Invasive Gynecology Worldwide. AAGL practice report: Morcellation during uterine tissue extraction. *J Minim Invasive Gynecol* 2014; 21: 517–530
- 15 Munro MG, Dickersin K, Clark MA, Langenberg P, Scherer RW, Frick KD. The Surgical Treatments Outcomes Project for Dysfunctional Uterine Bleeding: summary of an Agency for Health Research and Quality-sponsored randomized trial of endometrial ablation versus hysterectomy for women with heavy menstrual bleeding. *Menopause*. 2011;18(4):445-52.
- 16 Fergusson RJ, Lethaby A, Shepperd S, Farquhar C. Endometrial resection and ablation versus hysterectomy for heavy menstrual bleeding. *Cochrane Database Syst Rev*. 2013;11:CD000329.
- 17 Lethaby A, Hickey M, Garry R, Penninx J. Endometrial resection / ablation techniques for heavy menstrual bleeding. *Cochrane Database Syst Rev*. 2009(4):CD001501.
- 18 Matteson KA, Abed H, Wheeler TL, 2nd, Sung VW, Rahn DD, Schaffer JI, et al. A Systematic Review Comparing Hysterectomy with Less-Invasive Treatments for Abnormal Uterine Bleeding. *Journal of minimally invasive gynecology*. 2011
- 19 Lethaby A, Augood C, Duckitt K, Farquhar C. Nonsteroidal anti-inflammatory drugs for heavy menstrual bleeding. *Cochrane Database Syst Rev*. 2007(4):CD000400.
- 20 Lethaby A, Farquhar C, Cooke I. Antifibrinolytics for heavy menstrual bleeding. *Cochrane Database Syst Rev*. 2000(4):CD000249
- 21 ACOG Practice Bulletin No. 110: noncontraceptive uses of hormonal contraceptives. *Obstetrics and gynecology*. 2010;115(1):206-18.
- 22 Fraser IS, Romer T, Parke S, Zeun S, Mellinger U, Machlitt A, et al. Effective treatment of heavy and/or prolonged menstrual bleeding with an oral contraceptive containing estradiol valerate and dienogest: a randomized, double-blind Phase III trial. *Hum Reprod*. 2011;26(10):2698-708.
- 23 Lethaby AE, Cooke I, Rees M. Progesterone or progestogen-releasing intrauterine systems for heavy menstrual bleeding. *Cochrane Database Syst Rev*. 2005(4):CD002126

- 24 Endrikat J, Shapiro H, Lukkari-Lax E, Kunz M, Schmidt W, Fortier M. A Canadian, multicentre study comparing the efficacy of a levonorgestrel-releasing intrauterine system to an oral contraceptive in women with idiopathic menorrhagia. *Journal of obstetrics and gynaecology Canada : JOGC = Journal d'obstetrique et gynecologie du Canada : JOGC*. 2009;31(4):340-7
- 25 Hurskainen R, Teperi J, Rissanen P, Aalto AM, Grenman S, Kivela A, et al. Clinical outcomes and costs with the levonorgestrel-releasing intrauterine system or hysterectomy for treatment of menorrhagia: randomized trial 5-year follow-up. *JAMA : the journal of the American Medical Association*. 2004;291(12):1456-63
- 26 Ulrich U, Buchweitz O, Greb R, Keckstein J, von Leffern I, Oppelt P, Renner SP, Sillem M, Stummvoll W, De Wilde RL, Schweppe KW; German and Austrian Societies for Obstetrics and Gynecology National German Guideline (S2k): Guideline for the Diagnosis and Treatment of Endometriosis: Long Version - AWMF Registry No. 015-045. *Geburtshilfe Frauenheilkd*. 2014 Dec;74(12):1104-1118.
- 27 Cox JT, Schiffman M, Solomon D. Prospective follow-up suggests similar risk of subsequent cervical intraepithelial neoplasia grade 2 or 3 among women with cervical intraepithelial neoplasia grade 1 or negative colposcopy and directed biopsy. *Am J Obstet Gynecol*. 2003;188(6):1406-12
- 28 Iftner T, Eberle S, Iftner A, Holz B, Banik N, Quint W, et al. Prevalence of low-risk and high-risk types of human papillomavirus and other risk factors for HPV infection in Germany within different age groups in women up to 30 years of age: an epidemiological observational study. *Journal of medical virology*. 2010;82(11):1928-39.
- 29 Moscicki AB, Shiboski S, Hills NK, Powell KJ, Jay N, Hanson EN, et al. Regression of low-grade squamous intra-epithelial lesions in young women. *Lancet*. 2004;364(9446):1678-83.
- 30 Nobbenhuis MA, Helmerhorst TJ, van den Brule AJ, Rozendaal L, Voorhorst FJ, Bezemer PD, et al. Cytological regression and clearance of high-risk human papillomavirus in women with an abnormal cervical smear. *Lancet*. 2001;358(9295):1782-3
- 31 Insinga RP, Glass AG, Rush BB. Diagnoses and outcomes in cervical cancer screening: a population-based study. *Am J Obstet Gynecol*. 2004;191(1):105-13.
- 32 Wright TC, Jr., Massad LS, Dunton CJ, Spitzer M, Wilkinson EJ, Solomon D. 2006 consensus guidelines for the management of women with cervical intraepithelial neoplasia or adenocarcinoma in situ. *Journal of lower genital tract disease*. 2007;11(4):223-39
- 33 Belot F, Collinet P, Debodinance P, Ha Duc E, Lucot JP, Cosson M. [Risk factors for prosthesis exposure in treatment of genital prolapse via the vaginal approach]. *Gynecologie, obstetrique & fertilité*. 2005;33(12):970-4.
- 34 Leitlinie der DGGG und DGU: Descensus genitalis der Frau, awmf Register Nr. 015/006, abrufbar unter: <http://www.awmf.org/leitlinien/detail/II/015-006.html>

- 35 Lundholm C, Forsgren C, Johansson AL, Cnattingius S, Altman D. Hysterectomy on benign indications in Sweden 1987-2003: a nationwide trend analysis. *Acta obstetrica et gynecologica Scandinavica*. 2009;88(1):52-8.
- 36 Hwang JL, Seow KM, Tsai YL, Huang LW, Hsieh BC, Lee C. Comparative study of vaginal, laparoscopically assisted vaginal and abdominal hysterectomies for uterine myoma larger than 6 cm in diameter or uterus weighing at least 450 g: a prospective randomized study. *Acta obstetrica et gynecologica Scandinavica*. 2002;81(12):1132-8.
- 37 Dietz V, Schraffordt Koops SE, van der Vaart CH. Vaginal surgery for uterine descent; which options do we have? A review of the literature. *International urogynecology journal and pelvic floor dysfunction*. 2009;20(3):349-56
- 38 Diwan A, Rardin CR, Kohli N. Uterine preservation during surgery for uterovaginal prolapse: a review. *International urogynecology journal and pelvic floor dysfunction*. 2004;15(4):286-92.
- 39 Hefni M, El-Toukhy T, Bhaumik J, Katsimanis E. Sacrospinous cervicocolpopexy with uterine conservation for uterovaginal prolapse in elderly women: an evolving concept. *Am J Obstet Gynecol*. 2003;188(3):645-50.
- 40 Maher CF, Cary MP, Slack MC, Murray CJ, Milligan M, Schluter P. Uterine preservation or hysterectomy at sacrospinous colpopexy for uterovaginal prolapse? *International urogynecology journal and pelvic floor dysfunction*. 2001;12(6):381-4; discussion 4-5.
- 41 van Brummen HJ, van de Pol G, Aalders CI, Heintz AP, van der Vaart CH. Sacrospinous hysteropexy compared to vaginal hysterectomy as primary surgical treatment for a descensus uteri: effects on urinary symptoms. *International urogynecology journal and pelvic floor dysfunction*. 2003;14(5):350-5; discussion 5
- 42 Costantini E, Mearini L, Bini V, Zucchi A, Mearini E, Porena M. Uterus preservation in surgical correction of urogenital prolapse. *European urology*. 2005;48(4):642-9
- 43 Jeon MJ, Jung HJ, Choi HJ, Kim SK, Bai SW. Is hysterectomy or the use of graft necessary for the reconstructive surgery for uterine prolapse? *International urogynecology journal and pelvic floor dysfunction*. 2008;19(3):351-5
- 44 Diwan A, Rardin CR, Strohsnitter WC, Weld A, Rosenblatt P, Kohli N. Laparoscopic uterosacral ligament uterine suspension compared with vaginal hysterectomy with vaginal vault suspension for uterovaginal prolapse. *International urogynecology journal and pelvic floor dysfunction*. 2005;17(1):79-83
- 45 Darai E, Jeffry L, Deval B, Birsan A, Kadoch O, Soriano D. Results of tension-free vaginal tape in patients with or without vaginal hysterectomy. *Eur J Obstet Gynecol Reprod Biol*. 2002;103(2):163-7
- 46 Das Bundesgesetzblatt im Internet. Abrufbar unter:
[http://www.bgbl.de/xaver/bgbl/start.xav?startbk=Bundesanzeiger_BGBl&bk=Bundesanzeiger_BGBl&start=//%255B@attr_id=%2527bgbl113s0277.pdf%2527%255D#__bgbl__%2F%2F*\[%40attr_id%3D%27bgbl113s0277.pdf%27\]__1448099346000](http://www.bgbl.de/xaver/bgbl/start.xav?startbk=Bundesanzeiger_BGBl&bk=Bundesanzeiger_BGBl&start=//%255B@attr_id=%2527bgbl113s0277.pdf%2527%255D#__bgbl__%2F%2F*[%40attr_id%3D%27bgbl113s0277.pdf%27]__1448099346000) [Letzter Zugriff 23.11.2015]
- 47 ACOG practice bulletin No. 104: antibiotic prophylaxis for gynecologic procedures. *Obstetrics and gynecology*. 2009;113(5):1180-9.

- 48 Leitlinie: Prophylaxe der venösen Thromboembolie (S3). 15.10.2015, AWMF Register Nr. 003/001 abrufbar unter: <http://www.awmf.org/leitlinien/detail/II/003-001.html> [Letzter Zugriff: 23.11.2015]
- 49 Minig L, Trimble EL, Sarsotti C, Sebastiani MM, Spong CY. Building the evidence base for postoperative and postpartum advice. *Obstetrics and gynecology*. 2009;114(4):892-900.
- 50 Weir LF, Nygaard IE, Wilken J, Brandt D, Janz KF. Postoperative activity restrictions: any evidence? *Obstetrics and gynecology*. 2006;107(2 Pt 1):305-9
- 51 Vonk Noordegraaf A, Huirne JA, Brolmann HA, van Mechelen W, Anema JR. Multidisciplinary convalescence recommendations after gynaecological surgery: a modified Delphi method among experts. *BJOG : an international journal of obstetrics and gynaecology*. 2011;118(13):1557-67.
- 52 Kovac SR. Hysterectomy outcomes in patients with similar indications. *Obstetrics and gynecology*. 2000;95(6 Pt 1):787-93
- 53 Deval B, Rafii A, Soriano D, Samain E, Levardon M, Darai E. Morbidity of vaginal hysterectomy for benign tumors as a function of uterine weight. *The Journal of reproductive medicine*. 2003;48(6):435-40.
- 54 Lethaby A, Mukhopadhyay A, Naik R. Total versus subtotal hysterectomy for benign gynaecological conditions. *Cochrane Database Syst Rev*. 2012;4:Cd004993
- 55 Einarsson JI, Suzuki Y, Vellinga TT, Jonsdottir GM, Magnusson MK, Maurer R, et al. Prospective Evaluation of Quality of Life in Total versus Supracervical Laparoscopic Hysterectomy. *Journal of minimally invasive gynecology*. 2011;18(5):617-21
- 56 Parker WH, Jacoby V, Shoupe D, Rocca W. Effect of bilateral oophorectomy on women's long-term health. *Womens Health (Lond Engl)*. 2009;5(5):565-76
- 57 Bhattacharya S, Middleton LJ, Tsourapas A, Lee AJ, Champaneria R, Daniels JP, et al. Hysterectomy, endometrial ablation and Mirena(R) for heavy menstrual bleeding: a systematic review of clinical effectiveness and cost-effectiveness analysis. *Health Technol Assess*. 2011;15(19):iii-xvi, 1-252
- 58 Ahmed AA, Becker CM, Bast RC, Jr. The origin of ovarian cancer. *BJOG : an international journal of obstetrics and gynaecology*. 2012;119(2):134-6
- 59 Crum CP, McKeon FD, Xian W. The oviduct and ovarian cancer: causality, clinical implications, and "targeted prevention". *Clinical obstetrics and gynecology*. 2012;55(1):24-35
- 60 Kurman RJ, Shih Ie M. Molecular pathogenesis and extraovarian origin of epithelial ovarian cancer--shifting the paradigm. *Human pathology*. 2011;42(7):918-31
- 61 Brummer TH, Jalkanen J, Fraser J, Heikkinen AM, Kauko M, Makinen J, et al. FINHYST, a prospective study of 5279 hysterectomies: complications and their risk factors. *Hum Reprod*. 2011;26(7):1741-51
- 62 Radosa JC, Meyberg-Solomayer G, Kastl C, Radosa CG, Mavrova R, Graber S, et al. Influences of different hysterectomy techniques on patients' postoperative sexual function and quality of life. *The journal of sexual medicine*. 2014;11(9):2342-50

- 63 Ayoubi JM, Fanchin R, Monrozies X, Imbert P, Reme JM, Pons JC. Respective consequences of abdominal, vaginal, and laparoscopic hysterectomies on women's sexuality. *Eur J Obstet Gynecol Reprod Biol.* 2003;111(2):179-82
- 64 Farrell SA, Kieser K. Sexuality after hysterectomy. *Obstetrics and gynecology.* 2000;95(6 Pt 2):1045-51
- 65 Komisaruk BR, Frangos E, Whipple B. Hysterectomy improves sexual response? Addressing a crucial omission in the literature. *Journal of minimally invasive gynecology.* 2011;18(3):288-95
- 66 Pauls RN. Impact of gynecological surgery on female sexual function. *International journal of impotence research.* 2010;22(2):105-14
- 67 Rhodes JC, Kjerulff KH, Langenberg PW, Guzinski GM. Hysterectomy and sexual functioning. *JAMA : the journal of the American Medical Association.* 1999;282(20):1934-41.
- 68 Zobbe V, Gimbel H, Andersen BM, Filtenborg T, Jakobsen K, Sorensen HC, et al. Sexuality after total vs. subtotal hysterectomy. *Acta obstetrica et gynecologica Scandinavica.* 2004;83(2):191-6
- 69 Brucker SY, Taran FA, Bogdanyova S, Ebersoll S, Wallwiener CW, Schonfisch B, et al. Patient-reported quality-of-life and sexual-function outcomes after laparoscopic supracervical hysterectomy (LSH) versus total laparoscopic hysterectomy (TLH): a prospective, questionnaire-based follow-up study in 915 patients. *Archives of gynecology and obstetrics.* 2014;290(6):1141-9.
- 70 Ellstrom MA, Astrom M, Moller A, Olsson JH, Hahlin M. A randomized trial comparing changes in psychological well-being and sexuality after laparoscopic and abdominal hysterectomy. *Acta obstetrica et gynecologica Scandinavica.* 2003;82(9):871-5.