

Literaturverzeichnis

**zum Titelthema „S3-Leitlinie: Die atraumatische Femurkopfnekrose des Erwachsenen“
von Dr. Stephan Reppenhagen, Privatdozent Dr. Johannes Beckmann,
Professor Dr. Uwe Maus, Professor Dr. Klaus Bohndorf und Professor Dr. Andreas Roth,
Bayerisches Ärzteblatt 9/2016, Seite 416 ff.**

1. Maus U. (2010) Ätiologie der atraumatischen Femurkopfnekrose des Erwachsenen, Osteologie 19:5-9
2. Liebermann JR, Berry DJ, Mont MA et al. (2003) Osteonecrosis of the hip: management in the 21st century. Instr Course Lect. 52:337-55
3. Reppenhagen S, Rackwitz L, Kenn W. (2010) Diagnostik der atraumatischen Femurkopfnekrose des Erwachsenen. Osteologie 19:10-17
4. Roth A, Beckmann J, Bohndorf K et al. (2016) S3-Guideline non-traumatic adult femoral head necrosis. Arch Orthop Trauma Surg. 136(2):165-74
5. Koo KH, Kim R, Ko GH et al (1995) Preventing collapse in early osteonecrosis of the femoral head. A randomised clinical. trial of core decompression. J Bone Joint Surg Br 77:870–874
6. Mont MA, Hungerford DS (1995) Non-traumatic avascular necrosis of the femoral head. J Bone Joint Surg Am 77:459–474
7. Hungerford DS, Zizic TM (1980) II. The treatment of ischemic necrosis of bone in systemic lupus erythematosus. Med Baltim 59:143–148
8. Castro FP, Barrack RL (2000) Core decompression and conservative treatment for avascular necrosis of the femoral head: a meta-analysis. Am J Orthop 29:187–194
9. Stulberg BN, Davis AW, Bauer TW et al (1991) Osteonecrosis of the femoral head. A prospective randomized treatment protocol. Clin Orthop Relat Re. 268:140–151
10. Steinberg ME, Hayken GD, Steinberg DR (1984) The “conservative” management of avascular necrosis of the femoral head. In: Arlet J, Ficat RP, Hungerford DS (eds) Bone circulation. Williams and Wilkins, Baltimore, pp 334–337
11. Hofmann S, Mazieres B (2000) Osteonekrose: Natürlicher Verlauf und konservative Therapie. Orthopäde 29:403–410
12. Mont MA, Zywił MG, Marker DR et al (2010) The natural history of untreated asymptomatic osteonecrosis of the femoral head. J Bone Joint Surg Am 92:2165–2170
13. Lieberman JR, Engstrom SM, Meneghini RM et al (2012) Which factors influence preservation of the osteonecrotic femoral head? Clin Orthop Relat Res 470:525–534
14. Tervonen O, Mueller DM, Matteson EL et al (1992) Clinically occult avascular necrosis of the hip: prevalence in an asymptomatic population at risk. Radiology 182:845–847
15. Meier R, Kraus TM, Schaeffeler C et al (2014) Bone marrow oedema on MR imaging indicates ARCO stage 3 disease in patients with AVN of the femoral head. Eur Radiol 24:2271–2278
16. Mitchell DG (1989) Using MR imaging to probe the pathophysiology of osteonecrosis. Radiology 71:25–26

17. Markisz JA, Knowles RJ, Altchek DW et al (1987) Segmental patterns of avascular necrosis of the femoral heads: early detection with MR imaging. *Radiology* 162:717–720
18. Beltran J, Burk JM, Herman LJ et al (1987) Avascular necrosis of the femoral head: early MRI detection and radiological correlation. *Magn Reson Imaging* 5:431–442
19. Beltran J, Herman LJ, Burk JM et al (1988) Femoral head avascular necrosis: MR imaging with clinical-pathologic and radionuclide correlation. *Radiology* 166:215–220
20. Bassett LW, Gold RH, Reicher M et al (1987) Magnetic resonance imaging in the early diagnosis of ischemic necrosis of the femoral head. Preliminary results. *Clin Orthop Relat Res* 214:237–248
21. Robinson HJ Jr, Hartleben PD, Lund G et al (1989) Evaluation of magnetic resonance imaging in the diagnosis of osteonecrosis of the femoral head. Accuracy compared with radiographs, core biopsy, and intraosseous pressure measurements. *J Bone Joint Surg Am* 71:650–663
22. Grimm J, Hopf C, Higer HP (1989) Die Femurkopfnekrose. Diagnostik und morphologische Analyse mittels Röntgen, Szintigraphie, Computertomographie und Magnetresonanztomographie. *Z Orthop* 127:680–690
23. Kopecky KK, Braunstein EM, Brandt KD (1991) Apparent avascular necrosis of the hip: appearance and spontaneous resolution of MR findings in renal allograft recipients. *Radiology* 179:523–527
24. Fordyce MJ, Solomon L (1993) Early detection of avascular necrosis of the femoral head by MRI. *J Bone Joint Surg Br* 75:365–367
25. Coleman BG, Kressel HY, Dalinka MK, Scheibler ML, Burk DL, Cohen EK (1988) Radiographically negative avascular necrosis: detection with MR imaging. *Radiology* 168:525–528
26. Stulberg BN, Bauer TW, Belhobek GH et al (1989) A diagnostic algorithm for osteonecrosis of the femoral head. *Clin Orthop Relat Res* 249:176–182
27. Seiler JG 3rd, Christie MJ, Homra L (1989) Correlation of the findings of magnetic resonance imaging with those of bone biopsy in patients who have stage-I or II ischemic necrosis of the femoral head. *J Bone Joint Surg Am* 71:28–32
28. Talamo G, Angtuaco E, Walker RC et al (2005) Avascular necrosis of femoral and/or humeral heads in multiple myeloma: results of a prospective study of patients treated with dexamethasone- based regimens and high-dose chemotherapy. *J Clin Oncol* 23:5217–5223
29. Mont MA, Marulanda GA, Jones LC et al (2006) Systematic analysis of classification systems for osteonecrosis of the femoral head. *J Bone Joint Surg Am* 88(Suppl 3):16–26
30. Arlet J, Ficat RP (1964) Forage-biopsie de la tête femorale dans l'osteonecrose primitive. Observations histo-pathologiques portant sur huit forages. *Rev Rhum* 31:257–264
31. Ficat RP (1985) Idiopathic bone necrosis of the femoral head: early diagnosis and treatment. *J Bone Joint Surg Br* 67:3–9
32. Marcus ND, Enneking WF, Massam RA (1973) The silent hip in idiopathic aseptic necrosis. Treatment by bone-grafting. *J Bone Joint Surg Am* 55:1351–1366
33. Steinberg ME, Hayken GD, Steinberg DR (1984) A new method for evaluation and staging of avascular necrosis of the femoral head. In: Arlet J, Ficat RP, Hungerford DS (eds) *Bone circulation*. Williams and Wilkins, Baltimore, pp 398–403

34. Steinberg ME, Hayken GD, Steinberg DR (1995) A quantitative system for staging avascular necrosis. *J Bone Joint Surg Br* 77:34–41
35. Ohzono K, Saito M, Takaoka K et al (1991) Natural history of nontraumatic avascular necrosis of the femoral head. *J Bone Joint Surg Br* 73:68–72
36. Lee GC, Steinberg ME (2012) Are we evaluating osteonecrosis adequately? *Int Orthop* 36:2433–2439
37. Zibis AH, Karantanas AH, Roidis NT et al (2007) The role of MR imaging in staging femoral head osteonecrosis. *Eur J Radiol* 63:3–9
38. Smith SW, Meyer RA, Connor PM et al (1996) Interobserver reliability and intraobserver reproducibility of the modified Ficat classification system of osteonecrosis of the femoral head. *J Bone Joint Surg Am* 78:1702–1706
39. Schmitt-Sody M, Kirchhoff C, Mayer W et al (2008) Avascular necrosis of the femoral head: inter- and intraobserver variations of Ficat and ARCO classifications. *Int Orthop* 32:283–287
40. Reppenhagen S, Kenn W, Reichert et al. (2007) Bildgebung der aseptischen femurkopfnekrose des Erwachsenen. *Orthopäde* 36(5):430-40
41. Neumayr LD, Aguilar C, Earles AN et al (2006) Physical therapy alone compared with core decompression and physical therapy for femoral head osteonecrosis in sickle cell disease. Results of a multicenter study at a mean of three years after treatment. *J Bone Joint Surg Am* 88:2573–2582
42. Jäger M, Werner A, Lentrodt S et al (2004) Schmerztherapie bei nichtjuvenilen, aseptischen Osteonekrosen. *Schmerz* 18:481–491
43. Tarner IH, Dinser R, Müller-Landner U (2007) Pharmakotherapeutische Aspekte der Femurkopfnekrose. *Orthopäde* 36:446–450
44. Disch AC, Matziolis G, Perka C (2005) The management of necrosis-associated and idiopathic bone-marrow oedema of the proximal femur by intravenous iloprost. *J Bone Joint Surg Br* 87:560–564
45. Aigner N, Petje G, Schneider W (2005) Bone marrow edema syndrome of the femoral head: treatment with the prostacyclin analogue iloprost vs. core decompression: an MRI-controlled study. *Wien Klin Wochenschr* 117:130–135
46. Meizer R, Radda C, Stolz G et al (2005) MRI-controlled analysis of 104 patients with painful bone marrow edema in different joint localizations treated with the prostacyclin analogue iloprost. *Wien Klin Wochenschr* 117:278–286
47. Jergesen HE, Khan AS (1997) The natural history of untreated asymptomatic hips inpatients who have non-traumatic osteonecrosis. *J Bone Joint Surg Am* 79:359–363
48. Agarwala S, Jain D, Joshi VR et al (2005) Efficacy of alendronate, a bisphosphonate, in the treatment of AVN of the hip. A prospective open-label study. *Rheumatol Oxf* 44:352–359
49. Lai KA, Shen WJ, Yang CY (2005) The use of alendronate to prevent early collapse of the femoral head in patients with nontraumatic osteonecrosis. A randomized clinical study. *J Bone Joint Surg Am* 87:2155–2159
50. Nishii T, Sugano N, Miki H et al (2006) Does alendronate prevent collapse in osteonecrosis of the femoral head? *Clin Orthop Rel Res* 443:273–279
51. Agarwala S, Shah S, Joshi VR (2009) The use of alendronate in the treatment of avascular necrosis of the femoral head. *J Bone Joint Surg* 91-B:1013–1018

52. Kang P, Pei F, Shen B et al (2012) Are the results of multiple drilling and alendronate for osteonecrosis of the femoral head better than those of multiple drilling? A pilot study. *Joint Bone Spine* 79:67–72
53. Glueck CJ, Freiberg RA, Sieve L et al (2005) Enoxaparin prevents progression of stages I and II osteonecrosis of the hip. *Clin Orthop Relat Res* 435:164–170
54. Nagasawa K, Tada Y, Koarada S et al (2006) Prevention of steroid-induced osteonecrosis of femoral head in systemic lupus erythematosus by anti-coagulant. *Lupus*. 15:354–357
55. Ajmal M, Matas AJ, Kuskowski M, Cheng EY et al (2009) Does statin usage reduce the risk of corticosteroid-related osteonecrosis in renal transplant population? *Orthop Clin North Am* 40:235–239
56. Pritchett JW (2001) Statin therapy decreases the risk of osteonecrosis in patients receiving steroids. *Clin Orthop Relat Res* 386:173–178
57. Reis ND, Schwartz O, Militianu D et al (2003) Hyperbaric oxygen therapy as a treatment for stage-I avascular necrosis of the femoral head. *J Bone Joint Surg Br* 85:371–375
58. Strauss M, Dvozak T (1999) Femoral head necrosis and hyperbaric oxygen therapy. In: Kindwall EP, Whelan HT (eds) *Hyperbaric medicine practice*. Best publishing practice. pp 909–926
59. Strauss MB (1995) A “meta-analysis” and economic appraisal of osteonecrosis of the femoral head treated with hyperbaric oxygen. *ARCO News* 7:110
60. Ludwig J, Lauber S, Lauber HJ, Dreisilker U, Raedel R, Hotzinger H et al (2001) High-energy shock wave treatment of femoral head necrosis in adults. *Clin Orthop Relat Res* 387:119–126
61. Russo S, Galsso O, Gigliotti S (1999) Shock wave therapy for the treatment of nip necrosis. *ESMST/2nd Internat. Congress of the European Society for Musculoskeletal Shock Wave Therapy, London (Proceedings)*
62. Wang CJ, Wang FS, Huang CC et al (2005) Treatment for osteonecrosis of the femoral head: comparison of extracorporeal shock waves with core decompression and bone-grafting. *J Bone Joint Surg Am* 87:2380–2387
63. Chen JM, Hsu SL, Wong T et al (2008) Functional outcomes of bilateral hip necrosis: total hip arthroplasty versus extracorporeal shockwave. *Arch Orthop Trauma Surg* 129:837–841
64. Wang CJ, Wang FS, Yang KD et al (2008) Treatment of osteonecrosis of the hip: comparison of extracorporeal shockwave with shockwave and alendronate. *Arch Orthop Trauma Surg* 128:901–908
65. Aaron RK, Steinberg ME (1991) Electrical stimulation of osteonecrosis of the femoral head. *Semin Arthroplasty* 2:214–221
66. Bassett CA, Schink-Ascani M, Lewis SM (1989) Effects of pulsed electromagnetic fields on Steinberg ratings of femoral head osteonecrosis. *Clin Orthop Relat Res* 246:172–185
67. Massari L, Fini M, Cadossi R et al (2006) Biophysical stimulation with pulsed electromagnetic fields in osteonecrosis of the femoral head. *J Bone Joint Surg Am* 88:56–60
68. Steinberg ME, Brighton CT, Corces A et al (1989) Osteonecrosis of the femoral head. Results of core decompression and grafting with and without electrical stimulation. *Clin Orthop Relat Res* 249:199–208
69. Steinberg ME, Brighton CT, Bands RE et al (1990) Capacitive coupling as an adjunctive treatment for avascular necrosis. *Clin Orthop Relat Res* 261:11–18

70. Aaron RK, Lennox D, Bunce GE et al (1989) The conservative treatment of osteonecrosis of the femoral head. A comparison of core decompression and pulsing electromagnetic fields. *Clin Orthop Relat Res* 249:209–218
71. Im GI, Kim DY, Shin JH et al (2000) Degeneration of the acetabular cartilage in osteonecrosis of the femoral head: histopathologic examination of 15 hips. *Acta Orthop Scand* 71:28–30
72. Kawate K, Yajima H, Sugimoto K et al (2007) Indications for free vascularized fibular grafting for the treatment of osteonecrosis of the femoral head. *BMC Musculoskelet Disord* 8:78
73. Berend KR, Gunneson EE, Urbaniak JR (2003) Free vascularized fibular grafting for the treatment of postcollapse osteonecrosis of the femoral head. *J Bone Joint Surg Am* 85:987–993
74. Yoo MC, Kim KI, Hahn CS et al (2008) Long-term followup of vascularized fibular grafting for femoral head necrosis. *Clin Orthop Relat Res* 466:1133–1140
75. Fang T, Zhang EW, Sailes FC et al (2013) Vascularized fibular grafts in patients with avascular necrosis of femoral head: a systematic review and meta-analysis. *Arch Orthop Trauma Surg* 133:1–10
76. Schneider W, Breitenseher M, Engel A et al (2000) Der Stellenwert der Bohrung in der Behandlung der Hüftkopfnekrose. *Orthopäde* 29:420–429
77. Beltran J, Knight CT, Zuelzer WA (1990) Core decompression for avascular necrosis of the femoral head: correlation between long-term results and preoperative MR staging. *Radiology* 175:533–536
78. Scully SP, Aaron RK, Urbaniak JR (1998) Survival analysis of hips treated with core decompression or vascularized fibular grafting because of avascular necrosis. *J Bone Joint Surg Am* 80:1270–1275
79. Maniwa S, Nishikori T, Furukawa S et al (2000) Evaluation of core decompression for early osteonecrosis of the femoral head. *Arch Orthop Trauma Surg* 120:241–244
80. Lavernia CJ, Sierra RJ (2000) Core decompression in atraumatic osteonecrosis of the hip. *J Arthroplasty* 15:171–178
81. Saito S, Ohzono K, Ono K (1988) Joint-preserving operations for idiopathic avascular necrosis of the femoral head. Results of core decompression, grafting and osteotomy. *J Bone Joint Surg Br* 70:78–84
82. Mont MA, Carbone JJ, Fairbank AC (1996) Core decompression versus nonoperative management for osteonecrosis of the hip. *Clin Orthop Relat Res* 324:169–178
83. Steinberg ME, Brighton CT, Hayken GD (1985) Electrical stimulation in the treatment of osteonecrosis of the femoral head—a 1-year follow-up. *Orthop Clin North Am* 16:747–756
84. Trancik T, Lunceford E, Strum D (1990) The effect of electrical stimulation on osteonecrosis of the femoral head. *Clin Orthop Relat Res* 256:120–124
85. Mont MA, Jones LC, Seyler TM et al (2007) New treatment approaches for osteonecrosis of the femoral head: an overview. *Instr Course Lect* 56:197–212
86. Steinberg ME, Larcom PG, Strafford B (2001) Core decompression with bone grafting for osteonecrosis of the femoral head. *Clin Orthop Relat Res* 386:71–78 131.
87. Gangji V, Hauzeur JP, Matos C et al (2004) Treatment of osteonecrosis of the femoral head with implantation of autologous bone-marrow cells. A pilot study. *J Bone Joint Surg Am* 86:1153–1160

88. Hernigou P, Beaujean F (2002) Treatment of osteonecrosis with autologous bonemarrowgrafting. *Clin Orthop Relat Res* 405:14–23
89. Mont MA, Etienne G, Ragland PS (2003) Outcome of nonvascularized bone grafting for osteonecrosis of the femoral head. *Clin Orthop Relat Res* 417:84–92
90. Mont MA, Einhorn TA, Sponseller PD et al (1998) The trapdoor procedure using autogenous cortical and cancellous bone grafts for osteonecrosis of the femoral head. *J Bone Joint Surg Br* 80:56–62
91. Kim SY, Kim YG, Kim PT et al (2005) Vascularized compared with nonvascularized fibular grafts for large osteonecrotic lesions of the femoral head. *J Bone Joint Surg Am* 87:2012–2018
92. Garberina MJ, Berend KR, Gunneson EE et al (2004) Results of free vascularized fibular grafting for femoral head osteonecrosis in patients with systemic lupus erythematosus. *Orthop Clin North Am* 35:353–357
93. Yen CY, Tu YK, Ma CH et al (2006) Osteonecrosis of the femoral head: comparison of clinical results for vascularized iliac and fibula bone grafting. *J Reconstr Microsurg* 22:21–24
94. Chen W, Zhang F, Chang SM (2006) Microsurgical fibular flap for treatment of avascular necrosis of the femoral head. *J Am Coll Surg* 202:324–334
95. Kane SM, Ward WA, Jordan LC et al (1996) Vascularized fibular grafting compared with core decompression in the treatment of femoral head osteonecrosis. *Orthopedics* 19:869–872
96. Soucacos PN, Beris AE, Malizos K (2001) Treatment of avascular necrosis of the femoral head with vascularized fibular transplant. *Clin Orthop Relat Res* 386:120–130
97. Yoo MC, Chung DW, Hahn CS (1992) Free vascularized fibula grafting for the treatment of osteonecrosis of the femoral head. *Clin Orthop Relat Res* 277:128–138
98. Plakseychuk AY, Kim SY, Park BC et al (2003) Vascularized compared with nonvascularized fibular grafting for the treatment of osteonecrosis of the femoral head. *J Bone Joint Surg Am* 85-A:589–596
99. Urbaniak JR, Coogan PG, Gunneson EB et al (1995) Treatment of osteonecrosis of the femoral head with free vascularized fibular grafting. A long-term follow-up study of one hundred and three hips. *J Bone Joint Surg Am* 77:681–694
100. Eward WC, Rineer CA, Urbaniak JR et al (2012) The vascularized fibular graft in precollapse osteonecrosis: is long-term hip preservation possible? *Clin Orthop Relat Res* 470:2819–2826
101. MeyersMH(1985) Osteonecrosis of the femoral head treated with the muscle pedicle graft. *Orthop Clin North Am* 16:741–745
102. Schneider W, Aigner N, Pinggera O, Knahr K (2002) Intertrochanteric osteotomy for avascular necrosis of the head of the femur. Survival probability of two different methods. *J Bone Joint Surg Br* 84:817–824
103. Hasegawa Y, Sakano S, Iwase T et al (2003) Pedicle bone grafting versus transtrochanteric rotational osteotomy for avascular necrosis of the femoral head. *J Bone Joint Surg Br* 85:191–198
104. Shuler MS, Rooks MD, Roberson JR (2007) Porous tantalum implant in early osteonecrosis of the hip: preliminary report on operative, survival, and outcomes results. *J Arthroplasty* 22:26–31
105. Tsao AK, Roberson JR, Christie MJ et al (2005) Biomechanical and clinical evaluations of a porous tantalum implant for the treatment of early-stage osteonecrosis. *J Bone Joint Surg Am* 87(Suppl 2):22–27

106. Johansson HR, Zywiell MG, Marker DR et al (2011) Osteonecrosis is not a predictor of poor outcomes in primary total hip arthroplasty: a systematic literature review. *Int Orthop* 35:465–473
107. Kawasaki M, Hasegawa Y, Sakano S et al (2005) Total hip arthroplasty after failed transtrochanteric rotational osteotomy for avascular necrosis of the femoral head. *J Arthroplasty* 20:574–579
108. Lim SJ, Moon YW, Eun SS et al (2008) Total hip arthroplasty using the S-ROM modular stem after joint-preserving procedures for osteonecrosis of the femoral head. *J Arthroplasty* 23:495–501
109. Beckmann J, Rader C, Lüring C et al (2010) Endoprothetische Gelenkersorgung bei Hüftkopfnekrose. *Osteologie* 19:46–52
110. Ritter MA, Helphinstine J, Keating EM et al (1997) Total hip arthroplasty in patients with osteonecrosis. The effect of cement techniques. *Clin Orthop Relat Res* 338:94–99
111. Davis ET, McKee MD, Waddell JP et al (2006) Total hip arthroplasty following failure of free vascularized fibular graft. *J Bone Joint Surg Am* 88(Suppl 3):110–115
112. Radl R, Hungerford M, Materna W et al (2005) Higher failure rate and stem migration of an uncemented femoral component in patients with femoral head osteonecrosis than in patients with osteoarthritis. *Acta Orthop* 76:49–55
113. Mont MA, Seyler TM, Plate JF et al (2006) Uncemented total hip arthroplasty in young adults with osteonecrosis of the femoral head: a comparative study. *J Bone Joint Surg Am* 88(Suppl 3):104–109
114. Gardeniers JVM (1993) Report of the committee of staging and nomenclature. *ACRO news* 5:79-82)
115. Turner DA, Templeton AC, Selzer PM et al. (1989) Femoral capital osteonecrosis: MR finding of diffuse marrow abnormalities without focal lesions. *Radiology* 171:135–140
116. Mitchell MD, Kundel HL, Steinberg ME et al. (1986) Avascular necrosis of the hip: comparison of MR, CT, and scintigraphy. *AJR Am J Roentgenol* 147:67–71.
117. Solomon L.(1993) Bone-marrow oedema syndrome. *J Bone Joint Surg. Br* 75:175–176.
118. Hofmann S, Kramer J, Schneider W et al. (1997) Transient osteoporosis may represent a reversible early form of avascular necrosis of the hip joint. *Current Orthop* 11:164–172.
119. Iida S, Harada Y, Shimizu K et al. (2000) Correlation between bone marrow edema and collapse of the femoral head in steroid-induced osteonecrosis. *AJR Am J Roentgenol* 174:735-743.
120. Kim YM, Oh HC, Kim HJ (2000) The pattern of bone marrow oedema on MRI in osteonecrosis of the femoral head. *J Bone Joint Surg Br* 82:837–841
121. Kubo T, Yamamoto T, Inoue S (2000) Histological findings of bone marrow edema pattern on MRI in osteonecrosis of the femoral head. *J Orthop Sci* 5:520-523.
122. Bohndorf K, Beckmann J, Jäger M et al. (2015) S3-Leitlinie. Teil 1: Atraumatische Femurkopfnekrose des Erwachsenen: Diagnose und Differentialdiagnose. *Z Orthop Unfallchir* 153: 375-386
123. Roth A, Beckmann J, Smolenski U et al. (2015) S3-Leitlinie. Teil 2: Atraumatische Femurkopfnekrose des Erwachsenen - unbehandelter Verlauf und konservative Behandlung. *Z Orthop Unfallchir* 5: 488-497

124. Maus U, Roth A, Tingart M et al. (2015) S3-Leitlinie. Teil 3: Atraumatische Femurkopfnekrose des Erwachsenen - Operative Therapie der atraumatischen Femurkopfnekrose des Erwachsenen. Z Orthop Unfallchir 153: 375-386
125. Beckmann J, Roth A, Niethard C et al. (2015) Knochenmarködem und atraumatische Femurkopfnekrose: Therapie. Orthopäde 9: 662-671