

**Literaturverzeichnis zum Titelthema „Neu in der Psychosomatischen Medizin“
von Dr. Christine Allwang und Dr. Irmgard Pfaffinger
Bayerisches Ärzteblatt 4/2022, Seite 144 ff.**

1. Schepank H. Psychogene Erkrankungen in der Stadtbevölkerung. Springer, Berlin, Heidelberg 1987.
2. Jacobi F, Wittchen HU, Höltig C et al. Prevalence, co-morbidity and correlates of mental disorders in the general population: results from the German Health Interview and Examination Survey (GHS). *Psychol Med* 2004; 34:597-611.
3. Steinbrecher N, Koerber S, Frieser D et al. The prevalence of medically unexplained symptoms in primary care. *Psychosomatics* 2011; 52:263-71.
4. Dilling H, Mombour W, Schmidt MH. Internationale Klassifikation psychischer Störungen: ICD-10 Kapitel V (F) Klinisch-diagnostische Leitlinien. Huber, Bern 2008.
5. Poloni N, Caselli I, Ielmini M et al. Hospitalized Patients with Medically Unexplained Physical Symptoms: Clinical Context and Economic Costs of Healthcare Management. *Behav Sci* 2019, 9:80.
6. Harris AM, Orav EJ, Bates DW, Barsky AJ. Somatization increases disability independent of comorbidity. *J Gen Int Med* 2009; 24:155-161.
7. Kuby AK, Löwe B, Fabisch AB et al. Predictors of Seeking Psychotherapy in Primary Care Patients with High Somatic Symptom Burden. *Behavioral Medicine* 2019; 45:231-9.
8. Olde Hartman TC, Borghuis MS, Lucassen PLBJ et al. Medically unexplained symptoms, somatisation disorder and hypochondriasis: course and prognosis. A systematic review. *J Psychosom Res* 2009; 66:363-377.
9. Herzog A, Shedden-Mora MC, Jordan P, Löwe B. Duration of untreated illness in patients with somatoform disorders. *J Psychosom Res* 2018; 107:1-6.
10. Winding TN, Andersen JH. Do negative childhood conditions increase the risk of somatic symptoms in adolescence? – a prospective cohort study. *BMC Public Health* 2019; 19:828
11. Sack M, Lahmann C, Jaeger B, Henningsen P. Trauma prevalence and somatoform symptoms: are there specific somatoform symptoms related to traumatic experiences? *J Nerv Ment Dis* 2007; 195:928-933.
12. Wiborg JF, Gieseler D, Fabisch AB et al. Suicidality in primary care patients with somatoform disorders. *Psychosom Med* 2013; 75:800-806.
13. Henningsen P, Zipfel S, Sattel H, Creed F. Management of Functional Somatic Syndromes and Bodily Distress. *Psychother Psychosom* 2018; 87:12-31.

14. Roenneberg C, Sattel H, Schaefer R et al. Clinical practice guideline: Functional somatic symptoms. Dtsch Arztbl Int 2019; 116:553-560.
15. Kapfhammer HP. Somatoforme Störungen. In: Gründer G, Benkert O (Hrsg): Handbuch der Psychopharmakotherapie. Springer, Heidelberg, 2012:949-962.
16. Fallon BA. Pharmacotherapy of somatoform disorders. J Psychosom Res 2004; 56:455-460.
17. Destatis 2021. <https://www.destatis.de/DE/Themen/Gesellschaft-Umwelt/Gesundheit/Todesursachen/Tabellen/sterbefaelle-herz-kreislauf-erkrankungen-insgesamt.html>; Stand 10.02.2022.
18. Albus C, Waller C, Fritzsche K et al., Bedeutung von psychosozialen Faktoren in der Kardiologie – Update 2018. Kardiologe 2018; 312-331. Doi:10.1007/s12181-018-0271-4
19. Levine GN, Cohen BE, Fleury J et al. Psychological Health, Well-Being, and Mind-Heart-Body Connection. A Scientific Statement from the American Heart Association. Circulation 2021; 143: 00-00. Doi:10.1161/CIR.0000000000000947
20. Suglia SF, Koenen KC, Boynton-Jarrett R et al. Childhood and adolescent adversity and cardiometabolic outcomes: a scientific statement from the Amreican Heart Assiciation. Circulation 2018; 137:e15-e28.doi:10.1161/CIR.0000000000000536
21. Akosile W, Colquhoun D, Youg R et al. The association between post-traumatic stress disorder and coronary artery disease: a meta-analysis. Australas Psychiatry 2021; 26:524-530.doi:10.1177/1039856218789779
22. Hung MY, Mao CT, Hung MJ et al. Coronary artery spasm as related to anxiety and depression: a nationwide population-based study. Psychosom Med 2019; 81:237-245
23. Bandelow B, Wiltink J, Alpers GW, Benecke C et al. Deutsche S3-Leitlinie Behandlung von Angststörungen 2014. www.awmf.org/leitlinien.html
24. McDowell CP, Dishman RK, Gordon BR, Herring MP. Physical Activity and Anxiety: A Systematic Review and Meta-analysis of Prospective Cohort Studies. Am J Prev Med 2019; 57:545-556.
25. Jacquet-Smailovic M, Tarquinio C, Alla F et al. Posttraumatic Stress Disorder Following Myocardial Infarction: A Systematic Review. J Trauma Stress 2021; 34:190-9.
26. Maercker A, Hecker T, Augsburger M, Kliem S. ICD-11 prevalence rates of posttraumatic stress disorder and complex posttraumatic stress disorder in a German nationwide sample. J Nerv Ment Dis 2018; 206:270-76.
27. Maercker A, Schützwohl M. Erfassung vor psychischen Belastungsfolgen: Die Impact of Event Skala – revidierte Version (IES-R). Diagnostica 1998; 44:130-41.
28. Felding SU, Mikkelsen LB, Bach B. Complex PTSD and personality disorder in ICD-11: when to assign one or two diagnoses? Australasian Psychiatry. 2021;29(6):590-594. doi:10.1177/10398562211014212

29. Schäfer I, Ehring T, Knaevelsrud C. Diagnostik und Behandlung der posttraumatischen Belastungsstörung. Psychotherapeut 2020; 65:521-32.
30. Torrisi SA, Leggio GM, Drago F, Salomone S. Therapeutic challenges of post-traumatic stress disorder: focus on the dopaminergic system. Front Pharmacol. 2019; 10:404.