

Literatur zum Titelthema „**Neu in der Geriatrie**“
von Dr. Jens Trögner, Universitätsprofessor Dr. med. univ. Markus Gosch und
Universitätsprofessor Dr. Hans Jürgen Heppner
Bayerisches Ärzteblatt 4/2024, Seite 128 ff.

Literaturverzeichnis zu Fall 1

1. Dachverband Osteologie (2023) Prophylaxe, Diagnostik und Therapie der Osteoporose bei postmenopausalen Frauen und Männern ab dem 50. Lebensjahr. Leitlinie des Dachverbands der Deutschsprachigen Wissenschaftlichen Osteologischen Gesellschaften e.V., AWMF-Register-Nr.: 183/001
2. Dyer SM, Crotty M, Fairhall N et al (2016) A critical review of the long- term disability outcomes following hip fracture. *BMC Geriatr* 16:158. <https://doi.org/10.1186/s12877-016-0332-0>
3. Rommersbach N, Wirth R et al. (2020) The impact of disease-related immobilization on thigh muscle mass and strength in older hospitalized patients. *BMC Geriatr* 20, 500. <https://doi.org/10.1186/s12877-020-01873-5>
4. Rapp, K., Becker et al. (2022) Association of two geriatric treatment systems on care home admission and mortality in patients with hip fracture. *BMC Geriatr* 22, 459. <https://doi.org/10.1186/s12877-022-03037-z>
5. Heghe van A, Mordant G et al. (2022) Effects of Orthogeriatric Care Models on Outcomes of Hip Fracture Patients: A Systematic Review and Meta-Analysis, *Calcified Tissue International* 110:162–184 <https://doi.org/10.1007/s00223-021-00913-5>.
6. Rapp K, Becker C et al. (2020) The Association Between Orthogeriatric Co-Management and Mortality Following Hip Fracture. *Dtsch Arztebl Int.* Jan 24;117(4):53-59. doi: 10.3238/arztebl.2020.0053. PMID: 32036854; PMCID: PMC7036469.
7. Gemeinsamer Bundesausschuss (2019), https://www.g-ba.de/downloads/39-261-4069/2019-11-22_2020-03-27_2020-04-16_2020-11-20_QSFFx-RL_Erstfassung_konsolidiert_BAnz.pdf, zuletzt geöffnet 19.02.2024
8. Borgström F, Karlsson L et al., (2020), Fragility fractures in Europe: burden, management and opportunities, *Archives of Osteoporosis* 15: 59.
9. Cramer JA, et al. (2007) A systematic review of persistence and compliance with bisphosphonates for osteoporosis. *Osteoporos Int*, 18(8): 1023-31.
10. Podsiadlo D, Richardson S (1991) The Timed "Up & Go": A test of basic functional mobility for frail elderly persons. *JAGS*, 39 (2): 142–148.
11. Larsson BA, Johansson L et al. (2021) The timed up and go test predicts fracture risk in older women independently of clinical risk factors and bone mineral density. *Osteoporosis international* 32(1): 75-84.
12. Krupp S, Fronhofen H (2022) S1-Leitlinie Geriatisches Assessment der Stufe 2, Living Guideline, AWMF-Register-Nr.: 084-002LG
13. Gehlbach S, Saag KG et al. (2012) Previous fractures at multiple sites increase the risk for subsequent fractures: the Global Longitudinal Study of Osteoporosis in Women. *Journal of Bone and Mineral Research*, 27(3), 645-653
14. Pazan F, Collins R et al. (2020) A Structured Literature Review and International Consensus Validation of FORTA Labels of Oral Anticoagulants for Long-Term Treatment of Atrial Fibrillation in Older Patients (OAC-FORTA 2019). *Drugs Aging* 37, 539–548. <https://doi.org/10.1007/s40266-020-00771-0>

Literaturverzeichnis zu Fall 2

1. Hoorn EJ, Rivadeneira F, van Meurs JB, et al. Mild hyponatremia as a risk factor for fractures: the Rotterdam Study. *J Bone Miner Res*. 2011;26(8):1822-1828.
2. Cumming K, Hoyle GE, Hutchison JD, Soiza RL. Prevalence, incidence and etiology of hyponatremia in elderly patients with fragility fractures. *PLoS One*. 2014;9(2):e88272.
3. Al Mawed S, Pankratz VS, Chong K, Sandoval M, Roumelioti ME, Unruh M. Low serum sodium levels at hospital admission: Outcomes among 2.3 million hospitalized patients. *PLoS One*. 2018;13(3):e0194379.
4. Filippatos TD, Makri A, Elisaf MS, Liamis G. Hyponatremia in the elderly: challenges and solutions. *Clin Interv Aging*. 2017;12:1957-1965.
5. Soiza RL. Hyponatraemia in older people is usually multifactorial and commonly iatrogenic. *Age Ageing*. 2021;50(4):1071-1072.
6. Thorpe O, Cuesta M, Fitzgerald C, et al. Active management of hyponatraemia and mortality in older hospitalised patients compared with younger patients: results of a prospective cohort study. *Age Ageing*. 2021;50(4):1144-1150.
7. Greenberg A, Verbalis JG, Amin AN, et al. Current treatment practice and outcomes. Report of the hyponatremia registry. *Kidney Int*. 2015;88(1):167-177.
8. Hofmann W, Flagel K, Gosch M. [Hyponatremia in older persons (part I)-keep diagnosis simple : How to detect tricks and avoid pitfalls]. *Z Gerontol Geriatr*. 2020;53(4):347-356.
9. Usala RL, Fernandez SJ, Mete M, et al. Hyponatremia Is Associated With Increased Osteoporosis and Bone Fractures in a Large US Health System Population. *J Clin Endocrinol Metab*. 2015;100(8):3021-3031.
10. Gankam Kengne F, Decaux G. Hyponatremia and the Brain. *Kidney Int Rep*. 2018;3(1):24-35.
11. M. G. Hyponatremia in elderly patients - significance, clarification and therapy. *Dtsch Med Wochenschr*. 2022;Mar(147(6)):301-305.
12. Frontera JA, Valdes E, Huang J, et al. Prevalence and Impact of Hyponatremia in Patients With Coronavirus Disease 2019 in New York City. *Crit Care Med*. 2020;48(12):e1211-e1217.
13. Imai N OK, Kaneshiro N, Shibagaki Y. Seasonal prevalence of hyponatremia in the emergency department: impact of age. *BMC Emerg Med*. 2018;Nov 15(18 (1)):41.

Literaturverzeichnis zu Fall 3

1. GBD 2017 Causes of Death Collaborators. Global, regional, and national age-sex-specific mortality for 282 causes of death in 195 countries and territories, 1980–2017: a systematic analysis for the Global Burden of Disease Study 2017. *Lancet* 2018; 392: 1736–1788
2. Jain S, Self WH, Wunderink RG et al. Community-Acquired Pneumonia Requiring Hospitalization among U.S. Adults. *N Engl J Med* 2015;373:415-427
3. Schnorr M, Hedicke J, Dalhoff K et al. Approaches to estimate the population-based incidence of community-acquired pneumonia. *J Infect* 2007;55:233-239
4. Singler K, Thiem U, Christ M et al.: Aspects and assessment of delirium in old age. First data from a German interdisciplinary emergency department. *Z GerontolGeriatr*2014;47:680-685
5. Singler K, Heppner HJ. Diagnostic accuracy of three different methods of temperature measurement in acutely ill geriatric patients. *Age Ageing*. 2013;42:740-6
6. Bertsch T, Triebel J, Bollheimer C et al. C-reactive protein and the acute phase reaction in geriatric patients. *Z Gerontol Geriatr* 2015; 48:595-600

7. S3-Leitlinie Behandlung von erwachsenen Patienten mit ambulant erworbener Pneumonie. https://register.awmf.org/assets/guidelines/020-020l_S3_Behandlung-von-erwachsenen-Patienten-mit-ambulant-erworbener-Pneumonie__2021-05.pdf Zugriff 28.01.2024
8. <https://www.dggeriatrie.de/ueber-uns/aktuelle-meldungen/1682-covid-19-dgg-ver%C3%B6ffentlicht-poster-zur-klinischen-frailty-skala-cfs?highlight=WyJjZnMiLCJwb3N0ZXliXQ==>, Zugriff 27.01.2024
9. Cornely OA, Miller MA, Louie TJ et al. Treatment of first recurrence of clostridium difficile infection: fidaxomicin versus vancomycin. *Clin Infect Dis* 2012; 55(Suppl2):154–161
10. Covinsky KE, et al. Loss of independence of activities of daily living in older adults hospitalized with medical illness: increased vulnerability with age. *J Am Geriatr Soc* 2003;51:451-458
11. Martin-Salvador A, Torres-Sánchez I, Sáez-Roca G et al. Age Group Analysis of Psychological, Physical and Functional Deterioration in Patients Hospitalized for Pneumonia. *Arch Bronconeumol* 2015;51:496–501
12. Heppner HJ, Walger P. Specifics in antibiotic therapy for older adults. *Dtsch Med Wochenschr.* 2018;143:1070-1074