

## Literaturverzeichnis zum Titelthema „Gefäßchirurgie heute“

von Dr. Andrea van Dyck, Petar Viktorov und Professor Dr. Kai Nowak  
Bayerisches Ärzteblatt 5/2026, Seite 176 ff.

1. Johnston KW, Rutherford RB, Tilson MD, Shah DM, Hollier L, Stanley JC. (1991) Suggested standards for reporting on arterial aneurysms. Subcommittee on Reporting Standards for Arterial Aneurysms, Ad Hoc Committee on Reporting Standards, Society for Vascular Surgery and North American Chapter, International Society for Cardiovascular Surgery. *J Vasc Surg*; 13:452e8.
2. McGregor JC, Pollock JG, Anton HC. (1975) The value of ultrasonography in the diagnosis of abdominal aortic aneurysm. *Scott Med J*; 20:133e7.
3. Wanhainen A, Van Herzele I, Bastos Goncalves F, Bellmunt Montoya S, Berard X, Boyle JR, D'Oria M, Prendes CF, Karkos CD, Kazimierczak A, Koelemay MJW, Kölbel T, Mani K, Melissano G, Powell JT, Trimarchi S, Tsilimparis N; ESVS Guidelines Committee; Antoniou GA, Björck M, Coscas R, Dias NV, Kolh P, Lepidi S, Mees BME, Resch TA, Ricco JB, Tulamo R, Twine CP; Document Reviewers; Branzan D, Cheng SWK, Dalman RL, Dick F, Golledge J, Haulon S, van Herwaarden JA, Ilic NS, Jawien A, Mastracci TM, Oderich GS, Verzini F, Yeung KK. (2024) Editor's Choice -- European Society for Vascular Surgery (ESVS) 2024 Clinical Practice Guidelines on the Management of Abdominal Aorto-Iliac Artery Aneurysms. *Eur J Vasc Endovasc Surg.*; 67(2):192-331. doi: 10.1016/j.ejvs.2023.11.002. Epub 2024 Jan 23. PMID: 38307694
4. Sidloff D, Stather P, Dattani N, Bown M, Thompson J, Sayers R, et al. (2014) Aneurysm global epidemiology study: public health measures can further reduce abdominal aortic aneurysm mortality. *Circulation*; 129:747e53.
5. Svensjö S, Björck M, Gürtelschmid M, Djavani Gidlund K, Hellberg A, Wanhainen A. (2011) Low prevalence of abdominal aortic aneurysm among 65-year-old Swedish men indicates a change in the epidemiology of the disease. *Circulation* ; 124:1118e23.
6. Bahia SS, Vidal-Diez A, Seshasai SR, Shpitser I, Brownrigg JR, Patterson BO, et al. (2016) Cardiovascular risk prevention and all-cause mortality in primary care patients with an abdominal aortic aneurysm. *Br J Surg* ; 103:1626e33. 89
7. Grundmann RT, Debus ES, (2021), Klug entscheiden- Bauchortenaneurysma; *Gefäßchirurgie*; 156- 161
8. E.S. Debus (Sprecher der Steuergruppe), F. Heidemann (Sekretärin der Steuergruppe), W. Gross-Fengels, A. Mahlmann, E. Muhl, M. Nothacker, K. Pfister, S. Roth, Ch. Stroszczyński, A. Walther, N. Weiss, M. Wilhelmi<sup>1</sup>, R.T. Grundmann (2018), S3- Leitlinie zu Screening, Diagnostik, Therapie und Nachsorge des Bauchortenaneurysmas; AWMF-Registernummer 004-14
9. Kurvers H, Veith FJ, Lipsitz EC, Ohki T, Gargiulo NJ, Cayne NS, et al. (2004) Discontinuous, staccato growth of abdominal aortic aneurysms. *J Am Coll Surg* ; 199:709e15.
10. Sharp MA, Collin J. (2003) A myth exposed: fast growth in diameter does not justify precocious abdominal aortic aneurysm repair. *Eur J Vasc Endovasc Surg*; 25:408e11.
11. Olson SL, Panthofer AM, Blackwelder W, Terrin ML, Curci JA, Baxter BT, et al. (2022) Role of volume in small abdominal aortic aneurysm surveillance. *J Vasc Surg*; 75:1260e7.

12. Bjorck M, Earnshaw JJ, Acosta S, Bastos Goncalves F, Cochennec F, Debus ES et al (2020) Editor's choice—European society for vascular surgery (ESVS) 2020 clinical practice guidelines on the management of acute limb ischaemia. *Eur J Vasc Endovasc Surg* 59(2):173–218
13. Seiffert M, Brunner FJ, Rimmel M, Thomalla G, Marschall U, L'Hoest H et al (2020) Temporal trends in the presentation of cardiovascular and cerebrovascular emergencies during the COVID-19 pandemic in Germany: an analysis of health insurance claims. *Clin Res Cardiol* 109(12):1540–1548
14. Trenner M, Knappich C, Bohmann B, Heuberger S, Eckstein HH, Kuehnl A (2022) Utilization and regional differences of in-patient services for peripheral arterial disease and acute limb ischemia in Germany: secondary analysis of nationwide DRG data. *J Clin Med* 11(8):2116
15. Korabathina R, Weintraub AR, Price LL, Kapur NK, Kimmelstiel CD, Iafrati MD et al (2013) Twenty-year analysis of trends in the incidence and in-hospital mortality for lower-extremity arterial thromboembolism. *Circulation* 128(2):115–121
16. Larena-Avellaneda A (2016) Die 6-P-Zeichen nach Pratt. *Gefässchirurgie* 21(2):72–73
17. Watson JD, Gifford SM, Clouse WD (2014) Biochemical markers of acute limb ischemia, rhabdomyolysis, and impact on limb salvage. *Semin Vasc Surg.*; 27(3-4):176-81
18. Currie IS, Wakelin SJ, Lee AJ, Chalmers RT (2007), Plasma creatine kinase indicates major amputation or limb preservation in acute lower limb ischemia. *J Vasc Surg.*; 45(4):733-9
19. Rutherford RB, Baker JD, Ernst C, Johnston KW, Porter JM, Ahn S et al (1997) Recommended standards for reports dealing with lower extremity ischemia: revised version. *J Vasc Surg* 26(3):517–538
20. Fogarty TJ, Cranley JJ, Krause RJ, Strasser ES, Hafner CD (1963) A method for extraction of arterial emboli and thrombi. *Surg Gynecol Obstet* 116:241–244
21. Nilsson L, Albrechtsson U, Jonung T, Ribbe E, Thorvinger B, Thorne J et al (1992) Surgical treatment versus thrombolysis in acute arterial occlusion: a randomised controlled study. *Eur J Vasc Surg* 6(2):189–193
22. Ouriel K, Shortell CK, DeWeese JA, Green RM, Francis CW, Azodo MV et al (1994) A comparison of thrombolytic therapy with operative revascularization in the initial treatment of acute peripheral arterial ischemia. *J Vasc Surg* 19(6):1021–1030
23. The STILE Investigators (1994) Results of a prospective randomized trial evaluating surgery versus thrombolysis for ischemia of the lower extremity. The STILE trial. *Ann Surg* 220(3):251–266 (discussion 66–68). <https://doi.org/10.1097/00000658-199409000-00003>
24. Ouriel K, Veith FJ, Sasahara AA (1996) Thrombolysis or peripheral arterial surgery: phase I results. TOPAS investigators. *J Vasc Surg* 23(1):64–73 (discussion 4–5)
25. Ouriel K, Veith FJ, Sasahara AA (1998) A comparison of recombinant urokinase with vascular surgery as initial treatment for acute arterial occlusion of the legs. Thrombolysis or peripheral arterial surgery (TOPAS) investigators. *N Engl J Med* 338(16):1105–1111
26. Grip O, Wanhainen A, Michaelsson K, Lindhagen L, Bjorck M (2018) Open or endovascular revascularization in the treatment of acute lower limb ischaemia. *Br J Surg* 105(12):1598–1606
27. Espitia O, Del Giudice C, Hartung O, Herquelot E, Schmidt A, Sapoval M, Sobocinski J. (2024), Editor's Choice -- Survival, Limb Salvage, and Management of Patients with Lower Limb Acute Ischaemia: A French National Retrospective Observational Study. *Eur J Vasc Endovasc Surg.*;67(4):631-642

28. Lurie F, Passman M, Meisner M et al. The 2020 update of the CEAP classification system and reporting standards. *J Vasc Surg Venous Lymphat Disord.* 8(3):342-352.
29. Deutsche Gesellschaft für Phlebologie und Lymphologie e.V. (2024) S2K-Leitlinie Diagnostik und Therapie des Ulcus cruris venosum, 4.1, 2024, <https://register.awmf.org/de/leitlinien/detail/037-009> (abgerufen am: 27.02.2026)
30. Nelson EA, Adderley U (2016) Venous leg ulcers. *BMJ Clin Evid.*1902.
31. Rabe E, Pannier- Fischer F, Bromen K et al (2003) Bonner Venenstudie der Deutschen Gesellschaft für Phlebologie: Epidemiologische Untersuchung zur Frage der Häufigkeit und Ausprägung von chronischen Venenkrankheiten in der städtischen und ländlichen Wohnbevölkerung. *Phlebologie* 32: 1-14
32. Dantas DV, Torres GV, Salvetti MG, et al. Clinic validation protocol for venous ulcers in high complexity. *Rev Gaucha Enferm.* 2017;37(4)
33. S3-Leitlinie Lokalthherapie schwerheilender und/oder chronischer Wunden aufgrund von peripherer arterieller Verschlusskrankheit, Diabetes mellitus oder chronischer venöser Insuffizienz. Deutsche Gesellschaft für Wundheilung und Wundbehandlung e.V. 2023. Available from: <https://register.awmf.org/de/leitlinien/detail/091-001>. Accessed on 02.10.2023.
34. Toussaint F, Erdmann M, Berking C, et al. Malignant tumours presenting as chronic leg or foot ulcers. *J Clin Med.* 2021;10(11):2251.
35. Deutsche Gesellschaft für Phlebologie und Lymphologie e.V. (2018): S2K-Leitlinie: Medizinische Kompressionstherapie der Extremitäten mit Medizinischem Kompressionsstrumpf (MKS), Phlebologischem Kompressionsverband (PKV) und Medizinischen adaptiven Kompressionssystemen (MAK) AWMF-Registernummer: 037/005
36. Stücker M, Danneil O, Dörler M, et al. Safety of a compression stocking for patients with chronic venous insufficiency (CVI) and peripheral artery disease (PAD). *J Dtsch Dermatol Ges.* 2020;18(3):207–13. 137.
37. Gastaldi G, Pannier F, Roztocil K, et al. Chronic venous disease and diabetic microangiopathy: pathophysiology and commonalities. *Int Angiol.* 2021;40(6):457–69.
38. Dissemond J, Bültemann A, Gerber V, et al. Der Begriff Ulcus cruris mixtum sollte heute nicht mehr verwendet werden. *Dermatologie.* 2023;74(7):555–9.
39. Dissemond J, Assenheimer B, Bültemann A, et al. Kompressionstherapie bei Patienten mit Ulcus cruris venosum. *J Dtsch Dermatol Ges.* 2016;14(11):1073–89.
40. Stücker M. Konservative Therapie der Varikose. *Hautarzt.* 2021;72(3):257–66.
41. Dissemond J, Kröger K, Stücker M. Evidenz der Kompressionstherapie unter besonderer Berücksichtigung der medizinischen adaptiven Kompressionssysteme. *Hautarzt.* 2020;71(4):301–8. 152.
42. Mosti G, Mancini S, Bruni S, et al. Adjustable compression wrap devices are cheaper and more effective than inelastic bandages for venous leg ulcer healing. A multicentric Italian randomized clinical experience. *Phlebology.* 2020;35(2):124–33.
43. Pannier F, Noppeney T, Alm J, et al. S2k guidelines: diagnosis and treatment of varicose veins. *Hautarzt.* 2022;73(1):1–44. 106.
44. S2k-Leitlinie Diagnostik und Therapie der Varikose. Deutsche Gesellschaft für Phlebologie u. Lymphologie e.V. 2019. Available from: <https://register.awmf.org/de/leitlinien/detail/037-018>. Accessed on 06.08.2023.
45. Gohel MS, Heatley F, Liu X, et al. A randomized trial of early endovenous ablation in venous ulceration. *N Engl J Med.* 2018;378(22):2105–14.
46. Gohel MS, Barwell JR, Taylor M, et al. Long term results of compression therapy alone versus compression plus surgery in chronic venous ulceration (ESCHAR): randomised controlled trial. *Br Med J.* 2007;335(7610):83–7.
47. Mosti G, Cavezzi A, Massimetti G, et al. Recalcitrant venous leg ulcers may heal by outpatient treatment of venous disease even in the presence of concomitant arterial occlusive disease. *Eur J Vasc Endovasc Surg.* 2016;52(3):385–91.
48. Stansal A, Tella E, Yannoutsos A, et al. Supervised short-stretch compression therapy in mixed leg ulcers. *J Med Vasc.* 2018;43(4):225–30.

49. Obermayer A, Göstl K, Partsch H, et al. Venous reflux surgery promotes venous leg ulcer healing despite reduced ankle brachial pressure index. *Int Angiol.* 2008;27(3):239–46.
50. S3-Leitlinie Periphere arterielle Verschlusskrankheit (PAVK), Diagnostik, Therapie und Nachsorge. Deutsche Gesellschaft für Angiologie - Gesellschaft für Gefäßmedizin e.V. 2015. Available from: <https://register.awmf.org/de/leitlinien/detail/065-003>. Accessed on 06.08.2023.
51. Jalaie H, Schleimer K, Barbati ME, et al. Interventional treatment of postthrombotic syndrome. *Gefasschirurgie.* 2016;21(Suppl. 2):37–44.
52. Rossi FH, Kambara AM, Izukawa NM, et al. Randomized double-blinded study comparing medical treatment versus iliac vein stenting in chronic venous disease. *J Vasc Surg Venous Lymphat Disord.* 2018;6(2):183–91.
53. Yin M, Shi H, Ye K, et al. Clinical assessment of endovascular stenting compared with compression therapy alone in post-thrombotic patients with iliofemoral obstruction. *Eur J Vasc Endovasc Surg.* 2015;50(1):101–7.
54. Williams ZF, Dillavou ED. A systematic review of venous stents for iliac and venacaval occlusive disease. *J Vasc Surg Venous Lymphat Disord.* 2020;8(1):145–53.
55. Dissemond J, Bültmann A, Gerber V, et al. Positionspapier der Initiative Chronische Wunden (ICW) e. V. zur Nomenklatur des Débridements chronischer Wunden. *Hautarzt.* 2022;73(5):369–75.
56. Vandongen YK, Stacey MC. Graduated compression elastic stockings reduce lipodermatosclerosis and ulcer recurrence. *Phlebology.* 2000;15(1):33–7.